

Nanotechnology in Microbiology: Bridging Tiny Worlds for Big Impact

Sundas ASHRAF

Maria NAZIR

Muhammad Haris KHAN

Iqra FAZIL

Atif AHMED

Minahal FATIMA

Muhammad SAFDAR

Yasmeen JUNEJO

1. Introduction

Application of items at the scale of 1-100 nanometers or atomic level is called nanotechnology, and it has become the next big thing in science and technology (Sen et al., 1999). From the above developments that these scholars put forward as having benefited from this nanotechnological revolution, it is evident that many fields have benefited, and microbiology is among the beneficiaries. However, blending what might seem to be organized fields to several people is the development of a new opportunity to regulate and direct the great possibilities of microorganisms. These microbial organisms constitute the land. This emerging interest results from realizing the applicability of nanotechnology as a tool that can solve some critical challenges in health care, environment conservation, and industrial biotechnology (Biswas et al., 2023). Therefore, the emphasized synergy of these components revolves around the special characteristics that nanomaterials depict (Figure 1). These particles have a high surface area to volume and are, therefore, rather reactive and good as catalysts. Besides, the size-dependent optical, electronic, and magnetic characteristics enable them to interact with microbial cells and biomolecules selectively (Das & Marsili, 2011). In this way, nanomaterials are versatile for microbiology and its connected branches, such as diagnostics, treatment, environmental applications, and bioprocessing. Nanotechnology is also proving to have a revolutionary influence in diagnostics, especially in the aspect of the identification of pathogens. These include gold nanoparticles and quantum dots, which can be functionalized with specific antibodies or nucleic acid dots that only bind to target microbes (Syed & Bokhari, 2011). Above all, it assists in diagnosing pathogens swiftly and precisely and implementing correct therapy in the diseases associated with infectious sickness. These artifacts are also quickly transforming the sight of antimicrobial solutions. The emergence of resistant bacterial strains threatens global health, thus the need to develop more antimicrobial compounds. Silver nanoparticles and metal oxide nanoparticles are also good antimicrobial agents due to their capability to eradicate different types of microorganisms and how these nanoparticles differ from the bacterial resistance factors (Balderrama-González et al., 2021). Further, the nanoparticles can be produced to liberate antimicrobial particles at the action's site, making the drug more efficient and minimizing the damage to the other parts of the body. Of the given fields, nanotechnology was the most promising and offers cutting-edge solutions to problems in environmental microbiology, notably in bioremediation and pollution sensing. Some useful nanoparticles are iron oxide nanoparticles and carbon nanotubes, which can be used to adsorb with the ability to decrease contaminants in the given environment, heavy metals, and organic compounds (Liosis et al., 2021).




Figure 1. Convergence of Nanotechnology and Microbiology

Equally, it can be used to have a mechanical touch and feel of toxic microbes in water and soil, thus checking the environment's health status in real-time. To the mentioned applications, it is worth adding that nanotechnology is changing industrial biotechnology. At the same time, particles need to increase the efficiency of fermentation processes, new biofuel development, and the synthesis of valuable biomolecules (Manikandan et al., 2022). Considering that with the improvement of technology, it becomes possible to regulate microorganism activity at the nanotechnology level, the opportunities to build the value added, sustainable, and eco-friendly Bioprocesses are opening up. However, these smaller and finer techniques pose certain restrictions once combined with microbiology. Therefore, due to possible toxic effects and harm to the environment of nanomaterials, their great application potential leads to focusing on them and studying and testing them (Aschberger et al., 2011). Other important questions that have to do with the how of nanotechnology in microbiology and which also entail ethical considerations must be addressed. The relationship between nanotechnology and microbiology can be quite complex, and, in this regard, the author will continue with further elucidation of this relationship in this chapter. Therefore, delving into topics of basic tenets, usages, and ramifications of this discipline will help the works elucidate the potential of nanotechnology in changing the perception and utilization of microorganisms. This is an exciting journey directed towards innovating the solutions to potentially life-altering problems in health, ecology, and biotech to build a much-improved world for humanity.

2. Fundamental Concepts

Nanotechnology, which is the manipulation and creation of materials at the nanostructure or atomic level between 1 and 100 nm, is associated with a novel period of innovation (Nasrollahzadeh et al., 2019). Indeed, all scientific disciplines feel this nanotechnological revolution; microbiology is one of the major receivers. It is, in fact, the exponent of the growth rate of research and development at the intersection of nanotechnology and microbiology over the years. With the prospect of nanotechnology, scientists have decided to find valuable solutions to important appeals in health care, ecology, and industry bioengineering (León-Silva et al., 2018).

Table 1: Nanomaterials in Microbiology

Nanomaterial Type	Properties	Applications in Microbiology	References
Metal oxide nanoparticles (e.g., gold, silver)	Reduce size, optical properties, bactericidal properties	Drug delivery, biosensors, imaging, diagnostics, anti-bacterial films	(Sharma et al., 2021)
Polymeric nanoparticles (e.g., PLGA, Chitosan)	Biocompatibility, biodegradability, controlled release	Drug delivery, gene delivery, tissue engineering, Vaccine delivery	(Han et al., 2018)
Lipid-Based Nanoparticle include liposomes, micelles	Biocompatibility relates to the versatility of encapsulating hydrophilic and hydrophobic molecules	Used in drug delivery, gene delivery, vaccines, imaging, and more.	(Campora & Gherzi, 2022)
Carbon Nanotubes	High strength, electrical conductivity, thermal conductivity	Biosensors, tissue engineering, drug delivery, imaging	(A Stout, 2015)
Quantum Dots	Size-tunable fluorescence, high photostability	Cellular imaging, diagnostics, biosensors	(Pandey & Bodas, 2020)
Dendrimers	Branched structure, high surface area, multivalent binding	Drug delivery, gene delivery, diagnostics, imaging	(Sherje et al., 2018)
Magnetic Nanoparticles	Magnetic properties, biocompatibility	Cell separation, magnetic hyperthermia, drug targeting, imaging	(Shabatina et al., 2020)

At this synergy, the properties of the nanomaterials that are the subject of the present work are rooted. Because of the high reactivity and provocative catalytic behaviors; their size-dependent optical-electronic-magnetic nature can modulate interaction with microbial cells and biomolecules. The enumerated characteristics position nanomaterials as multifunctional tools for various applications in microbiology (Table 1) they include diagnostic, therapeutic, environmental, and bioprocessing classes (Babaniyi et al., 2023). In diagnostics, nanotechnology has greatly revolutionized the way diagnostic activities occur and, in more detail, the identification of pathogens. For instance, gold nanoparticles and quantum dots can be functionalized with specific antibodies or nucleic acids to ensure that they trap and identify target microorganisms. This technique is known as nanoparticle-based biosensing and can help in fast diploma identification of pathogens; hence, early treatment measures can be instituted for cases of infectious diseases. For instance, a novel gold nanoparticle-based assay has been synthesized to quickly identify the bacterial pathogens *Escherichia coli* and *Staphylococcus aureus* (Hegde et al., 2022).

It also slowly extends this definition toward modifying the theater of an adversarial relationship with antimicrobial agents. The aggression of antibiotic-resistant bacteria is one of the leading threats in the world today, and hence, there is a need to invent new sources of antimicrobial agents. Silver nanoparticles, zinc, titania nanoparticles, and liposomal nanoparticles were other recognized nanoparticles that demonstrated to have broad-spectrum antibacterial activity, and the mode of action is not linked to resistance mechanism in the microbial cells (Mozafari et al., 2021). In particular, it has the following effects on bacterial cell membranes and intracellular functions, such as the silver nanoparticles. Besides, nanoparticles can be developed so that the free radicals of antimicrobial agents discharge exclusively at the site of infection, offering immense curative benefits without exposing the patient to severe side effects (Khorsandi et al., 2021). In the sub-branch of environmental microbiology, nanotechnology entails relevant techniques in bioremediation and pollutant identification. Some of the nanoparticles used for the absorption and decontamination of pollutants in the environment, heavy metals, pesticide sprays, and organic chemicals include Iron oxide nanoparticles, Titanium dioxide nanoparticles, and Carbon nanotubes. In addition,

nanosensors can also be employed to analyze water and soil pollution by dangerous microbes to control the state of the environment in real-time (Chakraborty et al., 2021).

Besides this application, nanotechnology is also rapidly transforming industrial biotechnology. Certain benefits relate to nanoparticles enhancing fermentation processes through enzyme or whole-cell immobilization, enhancing the process yield and solidity. In addition, the nanoparticles can also be used to enhance the activity of the enzymes in the conversion process of bio biomass to biofuels, that is, biodiesel and bioethanol (Mumtaz et al., 2022). Still, this review is in the position to admit the following: nanotechnology use in microbiology has flaws. The existence of toxicities and potential hazards for the environment create issues that require acknowledgment and security tests. Two kinds of issues are frequently found in the ethical implications of nanotechnology in microbiology: the biosafety of nanotechnology and justice issues like risks associated with the technology and fair distribution of the same technology (Kimbrell, 2009). The current chapter start with an extensive discussion on the analysis of primary and secondary aspects of the connection between nanotechnology and microbiology. By studying the categories of nanotechnology concerning its fundamentals and the kinds, one can learn about the advantages of applying this innovation and its impact on perceiving and engaging microorganisms. This path will lead to discovering new strategies for solving concrete everyday challenges in healthcare, ecology, biotechnology, and other topics to establish a superior quality of life for the people.

3. Nanomaterials and Their Properties

The branch of engineering that deals with manipulation and designing material at a size scale of 1-100 nanometers is called nanotechnology and is slowly creeping into almost all branches of science, including microbiology. This fusion of what might initially seem like related fields is paving the way for unexplored possibilities of the phenomenon of controlling microorganisms. These complex microscopic structures fascinate the biosphere's complexities (Skalka, 2018). Activities on nanotechnology in microbiology, reveal the vast available potential of nanotechnology in surviving key problems in healthcare, environment, and industrial biology.

Table 2: Nanomaterials Properties and Applications

Property	Description	Example	Application	Reference
Optical	Different colors or transparency compared to bulk form.	Gold nanoparticles	Diagnostics, imaging, sensors	(Sharifi et al., 2019)
Mechanical	Stronger, harder, or more ductile than bulk form.	Carbon nanotubes	Structural materials, composites	(Kumar et al., 2020)
Electrical	Enhanced conductivity or become insulators.	Quantum dots	Electronics, solar cells	(Kramer & Sargent, 2014)
Magnetic	Unique magnetic properties not seen in bulk form.	Iron oxide nanoparticles	Data storage, medical imaging	(Maldonado-Camargo et al., 2017)
Chemical	Enhanced reactivity due to high surface area.	Titanium dioxide nanoparticles	Catalysis, self-cleaning surfaces	(Khataee & Mansoori, 2011)
Thermal	Enhanced thermal conductivity.	Graphene	Heat dissipation in electronics	(Renteria et al., 2014)

Due to these and other characteristics, nanomaterials are valuable in carrying out many processes in microbiology (Table 2). In diagnostics, nanomaterial-based biosensors, conjugated with specific antibodies or nucleic acid sequences, also help in the rapid and accurate detection of the pathogen load and infection rates, resulting in early intervention in cases of infectious diseases (Markandan et al., 2022). For example, gold nanoparticle-based assays have been synthesized to detect bacterial

pathogens such as *E. coli* and *S. aureus*. Nanotechnology is also transforming antiseptic treatments by providing new strategies against the increased problem of antibiotic-resistant bacteria (Khan & Rasool, 2023). Some of the nanoparticles used in the treatment of infection are silver nanoparticles, metal oxide nanoparticles, for instance, zinc and titanium oxide, and liposomal nanoparticles, and these nanoparticles can destroy the pathogens mostly without regard to existing resistance mechanisms. In environmental microbiology, the field of biodegradation, nanotechnology has much to present and effectively address the pollution challenge. It is well demonstrated that pollutants, including heavy metals, pesticides, and organic contaminants, can be adsorbed and degraded with the use of nanoparticles such as iron oxide nanoparticles, titanium dioxide nanoparticles, and carbon nanotubes. The same can be used to monitor the presence of toxic bioagents in water and soil, indicating the environmental condition in real time (Eltzov et al., 2009).

In addition, nanotechnology is revolutionizing industrial biotechnology as follows: Fermentation can also benefit from nanoparticles where enzymes or entire cells can be immobilized, resulting in improved productivity and stability. On the same note, nanoparticles, like biodiesel and bioethanol, can be employed to increase the efficiency of biofuel production by intensifying the enzymatic reactions involved in biomass conversion (Awogbemi & Von Kallon, 2024). Thus, despite the impressive number of successes in introducing nanotechnology to microbiology, certain difficulties are involved in this process. Due to their toxicity and the effects that they can have on the environment, the use of nanomaterials involves issues that should not be taken lightly. Before implementing nanotechnology, they must undergo the toughest safety tests. Some issues that fall under the ethical considerations include the biosafety of nanotechnology in microbiology, the distribution of nanotechnology innovation and impacts, and possible negative externalities (Tanji, 2009). To this end, and as the next chapter, this research will conduct a holistic analysis of the interaction between nanotechnology and microbiology by defining the basics, exploring its versatility, considering the impacts of nanotechnology, and showcasing how it has revolutionized the knowledge and use of microorganisms to solve problems in health, environment, and biotechnology.

3.1 Nanomaterials Types

Metallic Nanoparticles (Silver, Gold)

Metallic nanoparticles, such as silver (AgNPs) and gold (AuNPs), have received considerable attention in microbiology due to their unique characteristics and functionality (Bamal et al., 2021). The materials forming these particles differ in size, shape, and how NPs interact with microbial cells and biomolecules (Table 3).

Table 3: Metallic Nanoparticles Properties and Applications

Property	Gold Nanoparticles (AuNPs)	Silver Nanoparticles (AgNPs)	References
Size (nm)	1-100	1-100	(Ujica et al., 2020)
Shapes	Spheres, rods, cubes, etc.	Spheres, rods, cubes, wires	(Capek & Capek, 2017)
Color	Red to purple	Yellow to brown	(Adebayo et al., 2019)
Biocompatibility	High	Moderate	(Shanmugasundaram et al., 2017)
Antimicrobial Activity	Lower	High	(Patil & Kim, 2017)
Mechanisms	Photothermal, drug delivery	Membrane disruption, ROS, intracellular interactions	(Mikhailova, 2021)

Property	Gold Nanoparticles (AuNPs)	Silver Nanoparticles (AgNPs)	References
Applications	Drug delivery, imaging, diagnostics, photothermal therapy	Antimicrobial coatings, wound dressings, water purification, drug delivery, biosensors	(Jayakumar et al., 2023)

AgNPs are known for their strong antitics, which makes them fit through in fighting infections and minimizing microbial build-up. The antimicrobial mechanism of AgNPs is multifaceted and involves several key processes: membrane disruption, formation of ROS, and interaction with cellular components.




Figure 2. Antimicrobial Mechanism of Silver Nanoparticles

Studies have shown that AgNPs possess integral antibacterial effects against myriad bacterial strains, both, Gram-positive as well as negative, besides fungi and viruses (Leong et al., 2023). This wide-spectrum action and the fact that they can counteract antibiotic resistance mechanisms in parts make AgNPs ideal candidates for the newer generation antimicrobials (Figure 2). On the other hand, the information on the toxicity of AgNPs towards human cells and the environment remains a major concern when using the item. By size, shape, surface charge, and the dose of AgNPs, it is understood that the toxicity and biocompatibility quotient could be altered (Makama, 2016). Thus, monitoring those factors is crucial to creating sound AgNP-based antimicrobial treatments. AuNPs have specific optical characteristics; they disclose intense absorption and light scattering in the visible and near-IR regions because of localized surface plasmon resonance (LSPR) (Long & Jing, 2014). This fact proves valuable for AuNPs employed in microbiology as biosensors, imaging agents, and photothermal therapies. Biosensors developed with AuNP utilize LSPR to reveal the existence of target biomolecules like antibodies, DNA, or enzymes. The specific interaction of target molecules with the surface of the AuNPs can affect the LSPR signal, which can be easily detected using UV-vis spectroscopy. This approach allows for the selective identification of pathogens, biomarkers, and other molecules and the use of assay methods. AuNPs are also employed in microbial imaging because of their biocompatibility and amenability for ready functionalization with targeting moieties (Alim et al., 2018). As AuNPs are conjugated with antibodies or peptides,

scientists can identify individual microbial cells or formations within dense tissue. Moreover, AuNPs are ideal candidates in photothermal therapy, a novel cancer treatment technique. When exposed to near-infrared light, the AuNPs effectively phagocytize the light energy, which in turn produces heat and thereby causes localized increases in the temperature and selective killing of cancer cells (Shen et al., 2020). This strategy can also be applied to the antimicrobial use of AuNPs designed to eliminate pathogenic bacteria after exposure to light.

3. 2 Diamond-like carbon and Its Composites (Graphene, Carbon nanotubes)

Graphene and carbon nanotubes (CNTs) have some microbiological uses because of their nature being carbon-based nanomaterials. Graphene, strictly speaking, is a one-atom-thick layer of carbon crystallites wherein carbon atoms are hexagonal lattices and the material is mechanically extremely inflexible, electrically and thermally conductive (Gupta & Gupta, 2018). Such factors make graphene suitable for applications that include biosensing, the delivery of drugs, and tissue engineering. Graphene oxide (GO), a graphene derivative, could be of special significance in microbial applications due to its large surface area, the availability of functional groups, and its biocompatibility.




Figure 3. Description of Graphene and Carbon Nanotubes

Among all the nanomaterials that have the probability of being the next generation nanomaterials, the CNTs are cylindrical structures that are made from wrapped-up layers of graphene; they have high tensile strength, electrical conductivity, and thermal stability (Thakur & Thakur, 2018). In this regard, CNTs can be broadly categorized into two categories depending on the number of layers of graphene namely Single-Walled Carbon Nanotubes (SWCNTs) and Multi-Walled Carbon Nanotubes (MWCNTs) (Figure 3). It seems that bactericidal properties were widely investigated among SWCNTs and MWCNTs for the desired properties of cell membrane damage in bacteria and yeast, oxidative stress, and DNA damage. Also, CNTs have been used to support enzymes and whole cells for catalytic action and biodegradation (Maksimova, 2019).

3. 3 Polymeric Nanoparticles

Polymeric nanoparticles are more defined nanomaterials that researchers in the microbiology field get attracted to because of their characteristics like bio-inert, biodegradable, and can encapsulate diversified drug and diagnostic agents with different functions (Ling, 2018). NPs can be obtained from natural and synthetic polymers polysaccharides natural alginates, polylactic acid PLA, polyglycolic acid PGA, chitosan, and synthetic nylon (Smola-Dmochowska et al., 2023). The size,

shape, surface charge, and functionality of NPs can be designed to mediate appropriate interactions with microbial cells and tissue (Figure 4).




Figure 4. Configuration and shapes of polymeric and Quantum dots nanoparticles

In drug delivery, NPs can help shield the therapeutic agents from degradative processes, increase the solubility of the intended therapeutic agents, increase their bioavailability, and deliver them to the specific sites of infection in the body (Salouti & Ahangari, 2014). For instance, NPs conjugated with antibiotics could facilitate the eradication of intracellular bacterial pathogens emphasized by tuberculosis and listeriosis. In diagnostics, NPs can be functionalized as fluorescent labels or contrast agents to visualize microbial cells and tissue in living organisms (Ruedas-Rama et al., 2012). Moreover, NPs can also be affected by pH or temperature to trigger the release of the encapsulated drug or imaging agents to the right site.

3. 4 Quantum Dots (QDs)

These are classified as nanoscale semiconductor particles called Quantum Dots (QDs). They exhibit optical and electronic behavior because of the quantum size effect (Coto-García et al., 2011). QDs are fluorescent nanocrystals with size-tunable emission properties and high Quantum Yield and Photostability, and they are thus highly useful in multiplex detection in bio-imaging and biosensing (Figure 4). QDs have been used in microbiology to stain and track the movement of microbial cells about other cells and substrates and to study the processes that occur within the microbial cells (Abdel-Salam et al., 2020). For instance, QDs in the form of antibody conjugates have been employed to visualize the migration and accumulation of pathogenic bacteria in the host tissues. QDs can also be included in the biosensors to identify particular microbial biomarkers or toxins (Zhu et al., 2014). For the diagnosis of infectious diseases, QD-based biosensors are tested due to their high sensitivity and multiplexing characteristics.

4. Applications of Nanotechnology in Microbial Detection

The interdisciplinary nature of nanotechnology and microbiology has led to the new and improved detection of microorganisms through touchy, brisk, and particular nanosensors and biosensors (ALBERT, 2023). These analytical instruments' sophistications take advantage of nanomaterials' properties to enhance one or the other feature of the detection and determination of microbial biomolecules, toxins, and whole-body cells, respectively.

Nanosensors and Biosensors

Deployment of the biological receptor with a transducer forms nanosensors and biosensors to measure the target analytes. Concerning the identification of the microbiology discovery, the biological recognition element could be an enzyme, antibody, or nucleic acid, as well as an intact cell with selective reactivity with the target microorganism or the parts of the microbial cell. The signal between the biological entities is converted into an electrical, optical, or electrochemical signal (Liu et al., 2017). As a result of the developments in this area, devices or inventions in nanosensors or biosensors are referred to as nanosensors and biosensors because nanomaterials with better attributes have been included in the devices. For example, gold and silver nanoparticles can be introduced in designing optical biosensors under the influence of LSPR. LSPR is ascribed to the plasmon resonance of the confined electrons on the surface of the nanoparticles, which causes oscillation in interaction with light, enhancing the intensities of electromagnetic fields. This improved field can increase the sensitivity of optical biosensors by detecting the smallest possible target analytes (Zanchetta et al., 2017). Magnetic nanoparticles can also be included in the biosensors to separate and pre-concentrate the targeted microorganisms, reducing the detection limit. Conjugation of magnetic nanoparticles is possible using antibodies or nucleic acids, which can interact with the target microorganism with high specificity and affinity. Further application of a magnetic field to collect the bound microbes from the sample matrix is also possible (Dester & Alocilja, 2022). It has been used to diagnose various pathogens: bacteria, viruses, and parasites are among the microorganisms that can harm the inhabitants. Other categories of nanomaterials applied in the biosensors are carbon nanotubes, CNTs, and graphene due to their high electrical conductivity and large surface area for the mass ratio. Such nanomaterials can be used to make electrodes from electrochemical biosensors, mainly, they produce electrical signals, which vary in response to target analytes, interacting with biosensing interface. For instance, CNT-based electrochemical sensors have been used in the detection of bacterial toxins such as botulinum neurotoxin and; staphylococcal enterotoxin B and as noted by Wang and others (Wu et al., 2016). The integration of nanomaterials has especially impacted performance indicators like sensitivity, specificity, and the rate at which microbial detection is done in nanosensors and biosensors. For instance, there is the biosensor line of devices that design nanomaterials for assessing bacterial pathogens in foods as well as in water including *Escherichia coli* and *Salmonella enterica* (Ajayi et al., 2022). These biosensors can test pathogens within minutes, while traditional clinical testing can take hours or even days to test them. Also, nanomaterial-based biosensors can be integrated to identify many pathogens simultaneously, thus increasing the chances of testing large samples for various pathogens (Bhardwaj et al., 2021). Such multiplexing capacity is useful in clinical diagnosis, where it is necessary to identify the microorganism as quickly as possible.

Pathogen Detection

Therefore, discovering the pathogen is also important, as is creating competent and effective diagnostic procedures. The various methods have been empowered by nanotechnology, where the properties of nanomaterials are subsequently used to enhance the velocity or, respectively, the sensitivity and selectivity of pathogen identification.

1. Nanoparticle-based immunoassays: These assays involve the use/of nanoparticles conjugated to antibodies for recognition of specific antigens on the external surface of the pathogenic microorganisms. The mechanism of color change, observable or the generation of some signal that can be quantified in terms of fluorescence intensity or absorbance, happens due to the nanoparticles tagging the target antigens (Chen, 2008). An approach similar to that described above was used previously to identify several bacteria and viruses, including *S. aureus*, *Salmonella*, and the influenza virus.

2. Nucleic acid-based assays: These assays use nanoparticles to increase and detect the sequences of pathogenic microorganisms' nucleic acids. One example is nanoparticle-PCR, which

utilizes nanoparticles to enhance standard PCR in terms of efficiency and effectiveness in amplifying sample material. Nanoparticle-lateral flow assay, which assists in accurately diagnosing patients' pathogens in different non-laboratory settings (Khaliq et al., 2012).

3. Nanopore sequencing: This is one of the new technologies that entails letting the DNA or RNA samples pass through the channels measured in nanometers, thus offering fast and simple sequencing of microbial specimens (Figure 5). PCR-free defensive and isolate identification from contaminated samples are among the significant areas in which nanopore sequencing can bring significant change. The ability to identify pathogens and track the epidemics of infectious diseases can also not be overlooked (Morse, 2012). Such methods of pathogen identification have shifted the time required to diagnose the illness and even propound a course of action. This is specifically important in managing acute infection since the distinction between life and death may hinge on the timeliness of the patient's treatment. Also, these tests have higher sensitivity depending on their type and specificity, thereby aiding in early detection of illnesses and effective treatment procedures or regimens leading to a more improved patient's condition.




Figure 5. Nanopore Sequencing

5. Nanotechnology in Antimicrobial Strategies

5.1 Mechanism of Action:

Thus, it is possible to state that nanoparticles can possess several antimicrobial activities, which means that all mentioned mechanisms act in concert to prevent the impressive bactericidal or bacteriostatic effects. These mechanisms can be broadly categorized into the following (Figure 6).

Membrane disruption: This is among the ways that nanoparticles negatively impact the bacteria's cell membrane to eliminate the microorganisms. Since nanoparticles have a very large surface area, they can easily interact with the lipid bilayer of the cell and the membrane proteins; doing so modifies the cell permeability, and the contents of the cell spill out, and the cell dies (Gurtovenko et al., 2010). It can be stated that the action of this mechanism is most effective for gram-negative bacteria because the outer membrane of such bacteria is not as thick as in the case of 'gram-positive' microbes, which are surrounded only by relatively thick peptidoglycan walls.

Generation of reactive oxygen species (ROS): Amongst other nanoparticles like metal/Metal

oxide NPs, possess a characteristic of generating ROS when interacting with cell constituents or on light incidence. ROS are highly reactive and include superoxide anions, hydrogen peroxide, and hydroxyl radicals, of which the necessity of deletion includes DNA, proteins, and lipids, leading to oxidative stress and cell death (Madkour, 2019). The generation of ROS is also said to be one of the reasons why AgNPs possess some degree of antimicrobial activity (Huang et al., 2021).




Figure 6. Modes of action of antimicrobials incorporating nanoparticles on the example of membrane disruption

Release of metal ions: Some types of nanoparticles like silver, copper, and zinc-based nanoparticles on coming in direct contact with microbial cells release their metal ions. Such metal ions like DNA, ribosomes, and other cellular proteins, and this chelation alters normal cellular functions and ultimately triggers cell death. For example, the silver ions emanating from the surface of the AgNPs can interact with thiol groups of proteins and thus impede their efficiency besides encouraging the development of oxidative stress (Marchioni et al., 2018).

Modulation of signal transduction pathways: In part, nanoparticles may affect bacterial signal transduction concerning quorum sensing, biofilm formation, and the expression of signs of virulence (Holban et al., 2016). Cell signaling can be described as a way through which bacteria can communicate and react to various activities, such as the synthesis of virulence factors and biofilms. Therefore, by affecting quorum sensing, nanoparticles reduce the pathogenicity of bacteria and the ability to infect the host (Ivanova et al., 2018).

Physical damage: Sometimes, nanoparticles can come into direct contact with bacterial cells through abrasion, affecting them through methods such as disruption of cell membranes (Rawashdeh & Haik, 2009). For example, it has been postulated that pointed-tipped carbon nanotubes penetrate bacterial cells and cause them to rupture. In some cases, the many process depressions improve on each other to create a superbly synergistic antimicrobial contender. This multiple-pod strategy also increases the effectiveness of the antimicrobials based on nanoparticles. It prevents the emergence of resistance in contrast with the traditionally used antibiotics that target a specific cellular process (Murugaiyan et al., 2022). All these facts suggest that by learning different forms of nanoparticle action, one can achieve effective and non-dangerous forms of antimicrobial treatments that are crucial due to the continuous emergence of antibiotic resistance.

5. 2 Technologies and progression towards the use of antimicrobials such as nanoparticles

In this regard, however, it is necessary to emphasize that nanoparticle antimicrobial action depends on several sequential and closely related activities that make this approach rather promising, given the future growth of antibiotic resistance. From these and other postsynaptic activities, NBAs are more effective than conventional antibiotics because NBAs work on multiple targets. The Molecular Action of NBAs. Such an approach can attack bacteria in several areas, making it very hard for the bacteria to develop resistance (Barros Alvarez, 2018). Studies of NBAs continue to this date and have several other possible approaches, which is why the construction of NBAs is a progressive and unexhausted trend. One of the strategies includes the conjugation of nanoparticles with already-established antimicrobial agents. The opportunity to functionalize nanoparticles by antibiotics, antimicrobial peptides, or other bioactive molecules enlarges the antimicrobial activity and effects of a specific substance (Urban et al., 2012). Besides, this functionalization increases the efficacy of delivering antimicrobial agents to the site of inflammation and minimizes the toxic impacts of such devices on the host cells. For instance, vancomycin-conjugated silver nanoparticles have been reported to produce enhanced efficacy against vancomycin-resistant enterococci (Abdelaziz et al., 2022). Among the other strategies, is the creation of novel nanocomposites with co-antimicrobial activity. Combinations of one type of NP with another type of NPs in regular antibiotics should produce major synergistic effects where the improvement is actually beyond the inclusions of the two constituents (building blocks). The same concept has been used better with silver nanoparticles and with different antibiotics, and the progression moves to an efficient form against multidrug-resistant bacteria (Brar et al., 2023). This is achieved as another strategy through the intention of haptenizing the targeted nanoparticles for the right deliverance to the required site of infection with the targeted haptenization and concentration. As mentioned earlier, many functional nanoparticles are capable of capturing bacteria when conjugated with specific targeting ligands such as antibodies, aptamers, or other molecules able to bind to bacterial cell surface markers (Davodabadi et al., 2023). This approach may raise the therapeutic ratio of antimicrobial agents and minimize the side effects by concentrating more of the drug on the area of interest.

5. 3 Addressing Antibiotic Resistance

Nanotechnology has the potential to play a crucial role in overcoming the global crisis of antibiotic resistance through several mechanisms: nanotechnology is currently in a position to offer a great solution to the global problem of resistance to antibiotics through the following ways:

Development of NBAs with novel mechanisms of action: NBAs can impact multiple cell functions. for instance, disruption of the cell membrane, generation of ROS, and formation of damaged proteins, which are conditions that bacteria cannot easily transform themselves to handle. Such an attacking feature is considerably different from the traditional antibiotics, which encompass only one form of cellular action and hence can easily be resisted (Konwar et al., 2022). The fact that the activity is ternary compounded by the ability to inhibit multiple targets simultaneously which in a way reduces the selective pressure for the development of resistance to these new antimicrobials and therefore gives more time for resistance to these new antibiotics.

Synergistic effects with conventional antibiotics: It was discovered that the improvement of the nanoparticles with conventional antibiotics was effective in increasing the efficacy of treatment processes and reducing antibiotic resistance in some instances (Fatima et al., 2021). The nanoparticles can disrupt the bacterial cell wall, and as a result, the antibiotics either penetrate the bacterial cells more easily or the nanoparticles can block the efflux pore through which the bacteria expel the antibiotics. Such synergistic effects include one or different kinds of nanoparticles and antibiotics, which in turn support the view of using nanoparticles to overcome multidrug-resistant infections (León-Buitimea et al., 2022).

Targeted delivery of antibiotics to bacterial cells: Nanoparticles can be used for encapsulation and Targeted delivery of antibiotics into bacterial cells, forcing them to bypass the efflux pump and enzymatic degradation mechanisms, which are putting much action on the drug (Dey et al., 2022). This may enhance the antibiotics' impact and decrease the side effects, mostly arising from the scant damage to the host's healthy cells.

Prevention of biofilm formation: Biofilms, on the other hand, are architecture of microorganisms closely adherent to a surface with a sheath of slimy material that is called EPS biofilm matrix. Microorganisms routinely develop biofilms, and they are difficult to eradicate by regular antimicrobials, although the EPS matrix that develops around the microorganisms constitutes a tangible and physiological barrier (Loots, 2016). These, in turn, may influence bacterial adhesion, bacterial motility, and EPS synthesis and therefore improves, the bacteria's resistance to antibiotics (Uruén et al., 2020). Also, nanoparticles can easily penetrate the biofilm matrix, and the antimicrobial agents can be released directly to the bacteria, enhancing their capacity to combat biofilms-associated diseases. In sum, this entry provides a three-point plan for dealing with the problem of antibiotic resistance in line with nanotechnology. Since nanotechnology can develop NBAs with novel mechanisms of action, increase the effectiveness of the currently used antibiotics, introduce antimicrobial agents into the focus of infection, and prevent bacterial adhesion to surfaces and biofilm formation, such a technology could be very effective in fighting this world issue.

6. Enhancing Microbial Production and Technology

6. 1 Utilizing the Nanotechnology in Fermentation Processes

Techniques for fermentations that employ the metabolic action of microorganisms in the synthesis of demand products are widely used in several industries like pharmaceutical, food, and bioenergy industries, among others. New developments have established that integrating nanotechnology in the fermentation processes is now an excellent method for developing the microbial production process and the functionality of bioreactor systems (Table 4).

Improving Microbial Production Yields

The size of nanoparticles could be used to increase microorganisms' growth rate and yield in fermentation processes in the following manners. The studied method refers to the category known as “attached” methods, which involves the adherence of enzymes or entire cells on nanoparticle carriers (Thomsen & Klok, 2021). It has been pointed out that immobilization allows the stabilization of enzymes, surpassing the environment's stability and ensuring multiple uses of enzymes. The resistance to the environment's harshest conditions increased access of the enzymes to substrates resulting in improvement of both the rate of reactions and the yields. For example, magnetic nanoparticles with definite ligands have been used successfully for enzymes like lipase, which are used in the biodiesel production process, and cellulase, which are used to break down the biomass for producing biofuel (Rai et al., 2017).

Table 4: Comparison of Traditional and Nanotechnology enhanced Fermentation Processes (Ukkund et al., 2022)

Feature	Traditional Fermentation	Nanotechnology-Enhanced Fermentation
Contamination control	Limited to sterilization and aseptic techniques	Enhanced contamination prevention through nanomaterial coatings and sensors
Process monitoring and control	Often relies on offline sampling and analysis	Real-time monitoring and precise control through nanosensors
Nutrient delivery	It may be inefficient and lead to fluctuations	Controlled and targeted nutrient delivery through nanoparticles
Product recovery	It may involve complex and time-consuming steps	Simplified and efficient product recovery using magnetic nanoparticles
Overall efficiency and productivity	Can be limited by various factors (e.g., contamination, suboptimal conditions)	Improved efficiency and productivity due to enhanced control, targeted delivery, and contamination prevention

Besides immobilization, nanoparticles can also be used as a way of transferring nutrients and growth factors to microorganisms, hence enhancing their rate of growth and metabolism. For instance, iron oxide nanoparticles have been applied for the introduction of iron a microelement, to microalgae, and as a result, their growth rate and lipid content were enhanced, which is essential for their future use in biofuels (Aratboni et al., 2023). Similar to the above, nanoparticles with nitrogen-containing compounds have been evidenced to enhance the growth and the nitrogenase activity of the nitrogen-fixing bacteria, which forms the keystone in the conversion of atmospheric nitrogen into a form soluble in agricultural production. Furthermore, the nanoparticles can be engineered to affect the gene expression of the microorganisms in providing more of the wanted compound. This help can be achieved through delivery vectors that can bring in the specific genes of interest into a cell or nanoparticles for silencing or activating specific metabolic genes (Khurana et al., 2010). For instance, gold nanoparticles conjugated with CRISPR-Cas9 plasmids were recently employed to transfect those plasmids into yeast cells to precisely edit the latter's genome for beneficial biomolecule generation (Feng et al., 2022).

Enhancing Bioreactor Efficiency

Nanotechnology can also be equally applied to improving the performances of bioreactors that are used in the performance of fermentation processes. However, it can be seen that there is a dire need for improvement in the area of biofilm formation and contamination. Bacteria or any other microorganisms that have developed a biofilm covered in an extracellular polymeric substance threaten the Bioreactor production and the quality of the product (Muffler et al., 2014). Concerning the coatings applied to the bioreactor, it would be possible to employ silver nanoparticles and zinc oxide nanoparticles with antimicrobial activity to design surfaces that cannot encourage microbes to adhere and form the biofilm. This concept has been reported to work well in the actualization of decreasing contamination rates as well as increasing the yields of the final product in many bioprocesses. Besides contamination, nanoparticles can also be used for controlling the key parameters in the bioreactors, such as pH, temperature, and dissolved oxygen concentration (Yavari-Bafghi et al., 2022). For instance, the use of nanoparticles coated with pH-sensitive dye can be used in optical sensors to identify the change in pH during fermentation (Oun et al., 2023). This real-time monitoring aids in regulating various features, including temperature and pressure, required for the described controlled growth of the microorganisms. Similarly, the temperature and dissolved oxygen content can also be monitored by using the nanoparticles, and based on the feedback, the process can be enhanced. The delivery systems using nanoparticles also help introduce different compounds like inducers or inhibitors at some necessary time and required place in the bioreactor. This can be used to manage the cooperation and operations of the microorganisms in a way that

makes them metabolize in the wanted manner, which would give an easier synthesis of the wanted products and a decrease in the formation of unwanted products. For instance, enzyme inhibitors have acted as a tool for viewing how the inhibition of some metabolic pathways affects yeast for ethanol production through the use of nanoparticles (Shahbaz et al., 2022).

6. 2 Industrial and Utilization of the Environment

Bioremediation with Nanotechnology

Bioremediation, which is the process where microorganisms or their enzymes break down pollutants, has also been well-received as a better option and economical (Ullah et al., 2023). Here, the potential of the new directions and prospects for the further enhancement and development of bioremediation technologies based on nanomaterials is assessed, as well as the opportunities for the expansion of the sphere of using microorganisms for the above-mentioned tasks. Several types of nanomaterials have been reported to be effective and promising for bioremediation applications those nanomaterials are Iron oxide nanoparticles (IONPS), titanium dioxide nanoparticles (TiO₂ NPs), and carbon nanotubes (CNTs) (Patel et al., 2020). These nanomaterials have a larger surface area and high reactivity through which they can adsorb other contaminants; heavy metals, pesticides, and even organic pollutants. For instance, IONPs were tested in removing arsenic from the groundwater due to their highly adsorptive nature, and they are also good redox-active materials (Kalita & Baruah, 2020). More specifically, while TiO₂ NPs are photocatalytic active, this means that the material can oxidize or degrade an organic contaminant upon exposure to light. Because CNTs have a large surface and a special category of electronically active carbon materials, CNTs can capture and degrade various pollutants such as heavy metals and organic dyes (Abbo et al., 2021). Moreover, since the nanoparticles are ‘smaller,’ they can access regions that might not be accessible to larger particles or microorganisms, or simple pathogens like the soil pore or the water well (Kumar et al., 2012). The above penetration enhancement can translate into enhanced efficiency and effectiveness of the bioremediation processes by fold. Moreover, the nanomaterials can also act as carriers which provide greater efficiency for microorganisms in bioremediation. For instance, nutrients and electron donors can be brought to the contaminated sites in the form of nanosized particles that will provoke the effective functioning and growth of the microorganisms that will ensure the biodegradation process (Fouad et al., 2022). Nanotechnology does guarantee a new technique of bioremediation is formulated. Consequently, enzymes or the entire intact cells can be fixed to the nanoparticles for the degradation of pollutants. The given approach will prove useful in fine-tuning the parameters and selectivity of bioremediation processes and avoiding the side reactions and effects on the environment. For example, the use of laccase functionalized nanoparticles has been applied for the biodegradation of phenolic effluents originating from pulp and paper industries (Moreno et al., 2020).

Application of the Produced Catalysts in Biosynthesis of Bioenergy

The application of nanotechnology in the creation and synthesis of multiple significant bioenergy and biomolecules in the novel generation is gradually increasing. In bioenergy, nanoparticles are used to enhance the yield of biofuels such as biodiesel and bioethanol (Pandey, 2022). For example, MnO₂ and Au NPs can improve the reusability of cellulases and lipases that are utilized for conveying biomass through stability, a factor that directly affects biofuel generation. On the same note, it can transport nutrients and growth factors for the microorganisms used in biofuel production, like microalgae and yeast, required to boost their growth and metabolism (Azarpour et al., 2022). This can speak to a higher biomass yield as well as contribute to the yield of more biofuels. Plant-derived biosynthesis process, nanoparticles are used in the synthesis of various biomolecules, such as pharmaceuticals, Nutraceuticals, and industrial chemicals. Microorganisms can be genetically modified using nanoparticles by using genes or enzymes to express recombinant protein or to somehow affect the metabolic activities of the microorganisms (Gholami-Shabani et al., 2016). For example, nanoparticles have been used in transferring into bacteria genes that produce

insulin at large scale since it is a wanted protein. Besides, they can use nanoparticles to immobilize enzymes that are used in biosynthetic processes so that they can be reused, and exhausted pathways can generate more yields. For instance, when synthesizing new semisynthetic penicillins, magnetic nanoparticles have been used to immobilize penicillin acylase, and the enzymes get stabilized hence enhancing the production of antibiotics (Lv et al., 2024).

7. Microbial Interaction and Ecology

Microorganisms are present in almost all environments and thus play a major role in many ecosystems as far as nutrient cycling, decomposition, and biogeochemical cycling processes are concerned (Maier, 2015). However, several aspects of the nanoparticles' interaction with microbes remain unknown, and studying the impact of nanoparticles on these communities is crucial for assessing the possible consequences of nanotechnology for ecosystems and for devising practical and sustainable approaches to nanoparticles and nanotechnology use.

Effects of Nanoparticles on the Natural and Designed World

Various particles can be released in the natural environment through water effluents and through precipitating from the atmosphere apart from being washed from the agricultural land (Sharma, 1994). After nanoparticles are released into the environment, they can influence microorganisms in various ways. It can adhere directly to the outer or cell surface of microbial cells, it can be endocytosis or any other associated mechanism that can be Phagocytosis, or it may attach to EPS, which is the extra-cellular polymeric substance excreted by microbes (Jaseera & Abdulla, 2021). This can be; the behavior of microbial communities can be enhanced or hampered by these interactions depending on the type of nanoparticle used, the concentration of the nanoparticle used, and the existing environmental conditions. Sometimes it was recorded that the nanoparticles can promote the growth and activities of microorganisms. This could promote the growth of good microorganisms, for instance, nitrogen-fixing bacteria and algae, which are vital in the provision of soil fertility and first-order productivity. Concerning the enzymatic processes, it must also be noted that nanoparticles can also promote the increased synthesis of extracellular enzymes, which facilitate the biodegradation of the large macromolecules of the organic matter (Zhang et al., 2019). For instance, the iron oxide nanoparticles have agonistically demonstrated appreciable enhancement in the ligninolytic enzyme production from the white-rot fungi capable of degrading the lignin, a complex polymer found in plant cell walls. However, these nanoparticles have the following effects on microbial consortia. The toxicity of nanoparticles to microorganisms depends on the particle's chemical composition, size, shape, and charge, where these particles alter the microorganism's growth, normal processes of metabolism, and even destruction of the cell (Hegde et al., 2016). The general toxicity of nanoparticles is yet to be established but it can be ascertained that they can manifest toxicity in several ways towards certain microorganisms based on the specific nanoparticle in existence. Such effects can present themselves in the form of oxidative stress, alteration of the surface of the molecules, mutation or breakage of the DNA and proteins, and alteration of the cell signaling, thus compromising the function of the cell (Bansal & Kaushal, 2014). For instance, silver NP (AgNPs) have been reported to cause damage to bacterial cell membranes and damaged cells by oxidative stress, leading to cell death. Titanium dioxide nanoparticles (TiO₂ NPs) are reported to have photosensitizing properties that result in cell toxicity because of the generation of ROS that react with DNA and other cellular molecules (Lagopati et al., 2021).

Particles of such size might also change the versatility and concentration of microbes, which worsens the community process and the services that the microbial community renders (Schrader et al., 2022). Such facts have represented that nanoparticles are effective in inhibiting certain bacterial strains and also support the growth of other bacterial strains by affecting the structure and functionality of such bacterial communities. This then can result in other effects on other processes that occur in an ecosystem, relating to nutrient cycling and decomposition- a concern to the healthy functioning of an ecosystem. Silver nanoparticles, when applied to the soil, could

alter the entire microbial composition in the soil and noted a decrease in beneficial nitrogen-fixing bacteria and an increase in the pathogenic denitrifying bacteria hence causing nitrogen loss from the soil (Kalwani et al., 2022).

8. Investigations of Interactions of Microbes with the Aid of Nanotechnology

Anything related to the analysis of the interference between nanomaterials and microorganisms is quite a challenging task; that is why the study involves microbiologists, nanotechnologists, and ecologists. Several techniques are used to study these interactions, including Several methods can be employed to analyze these interactions, and they include;

Culture-based methods: Such techniques include culturing microorganisms in the nutrient media extracted from soil, water, or any other sample with/without nanoparticles to determine their capacity to grow, remain viable, and be metabolically active (Khalil et al., 2016). This could also provide useful information on the immediate effect of nanoparticles on some select microbial species.

Molecular techniques: Such methodology includes Polymerase Chain Reaction (PCR) and metagenomics, which can be used to estimate and describe the abundance and composition of microorganisms in samples and assess the impact of nanoparticles on microbes' density and resourcefulness in ecosystems (Crossette, 2021). Metagenomics especially enables one to signify all the genetic data of a microbial assemblage primarily via functional genomics studies.

Imaging techniques: For instance, electron microscopy and fluorescence microscopy in which the researchers can record the physical contact between the nanoparticles and the microbial cells and follow as well as detect the occurrence and movements of nanoparticles within the microbial microcosm (Wu et al., 2017). About the structures of nanoparticles and the way they invade the microbial cells, there is electron microscopic data; Tracking the intracellular and tissue mobility of nanoparticles can be done by using fluorescence microscopy.

Omics techniques: Some of the prominent areas of omics that can be applied for M-N interactions are genomics, transcriptomics, proteomics, and metabolomics which examines the molecular behavior of microbes exposed to nanoparticles (Pal et al., 2022). These techniques are useful as they could assist in the determination of how nanoparticles affect microbial cells as well as the response these cells give to the interaction. With such strategies, the researcher will be informed of the various ways through which nanotechnology influences microbial ecology. Similar data are vital when analyzing threats linked with nanomaterials and identifying potential applications of nanomaterials' unique properties in environmental and industrial contexts.

9. Future Prospects and Innovations

The new perspective in a scientific field like microbiology can be nanotechnology, which, according to the prognosis, will develop in the following years and enter spheres such as healthcare, environmental science, and industrial biotechnology. Several areas can be proven in the future and are favorable for applying the aforementioned technique.

Personalized Medicine and Diagnostics: Nanotechnology is now heading the new world of doctors, wherein the medicine to be administered is chosen based on the patient's genes and molecular values (Shanmugam, 2019). Thus, nanotechnology-based diagnostics can enable the identification of etiological agents and their genomes along with the susceptibility profile to the existing antivirals/antibiotics. Molecular epidemiology can help in designing and even patient-specific treatment for the particular strain of the microbe causing the infection. For example, a still emerging fast technology of nanopore sequencing is thought to be capable of diagnosing pathogens on the spot in real time. The clinicians can decide on the right approach to treatment, and this again can result in a reduction of improper uses of broad-spectrum antibiotics (Om et al., 2016). More so, the drug-delivering systems developed through this nanotechnology can be programmed to

deliver drugs at specific schemata, thus diminishing the side aspect and enhancing the efficiency of the drug in the process. Ligands may be attached to the nanoparticles to locate and home in on the body's infected cells or tissues and deliver the drugs to these cells only (Steinmetz, 2010).

Smart Antimicrobials and Therapeutics: At the present moment, there are many approaches to creating efficient antimicrobials, and the next generation of smart antimicrobials that agents like pH or temperature can activate is regarded as the direction of the future regarding the control of infectious diseases. These nanomaterials can release or deliver antimicrobial agents once it has come across the target pathogen; this disposal eases the problem of resistance to antimicrobial agents as well as the negative impact on beneficial microorganisms (Singh et al., 2018). This strategy may enable us to acquire more yield from the existing list of antibiotics and simultaneously restrain the emergence of new types of resistance. Besides, nanotechnology-applied therapies such as photothermal therapy, in which nanoparticles are used to absorb the light energy and convert it into heat to ensure the destruction of bacteria (Du et al., 2023) immunotherapy which is a form of therapy that uses the immune system to combat microbial infections More strategies in the management of microbial infections that are resistant to conventional antibiotic usage include:

Nanobots for Precision Medicine: The concept of introducing miniature active transport agents or small robots that perform particular work in the organism known as nanobots is gradually unfolding in the field of medicine (Zhao et al., 2022). About bottom-up nanobots, disease identification and treatment such as bacterial, viral, and fungal infections can be conducted in a manner that includes drug delivery to the immune system, elimination of pathogens from the bloodstream, and tissue healing. Nanobots are still in the rudimentary stage currently, but the usage of nanobots in the advancement of medical technologies appears to have a fairly broad element (Amato, 2013) the capacity to regulate drugs and surrender them to tissue and cells without impacting the disparate other parts of the physique. For instance, current scientists have developed nanobots that can bring down cancerous tissues; thus, nanobots may also be programmed to get rid of pathogenic bacteria and viruses.

Sustainable Bioprocesses and Biomanufacturing: The enhancement of life essentials, including biofuels, bioplastics, pharmaceuticals, as well as other biomolecules, is achievable using nanoparticles. Nanomaterials used in the bioreactor have the advantages of high mass transfer rates, low fouling, and the stability of biocatalysts. In addition, nanotechnology can help in the creation of new types of biomanufacturing systems: cell-free, using synthetic cells or cells with altered genes (Qaiser et al., 2023).

Environmental Monitoring and Remediation: The facilities that can be offered by nanotechnology-based sensors for environmental conditions in real-time cannot be overemphasized (Maynard, 2007). For instance, nanosensors can detect many analytes, including heavy metals, pesticides, toxins, and pathogenic microbes in water, soil, and air. This makes it easier to institute early warning mechanisms concerning contamination of the environment and normally intervenes in this matter on time. On a similar note, nanotechnology applied in the bioremediation process, that is, the utilization of nanoparticles and or the enhancement of the activities of the bioremediation microorganisms to combat pollution, has been pointed to as one that has the potential to restore the polluted environment (Benjamin et al., 2019). Nutrient and electron donors can also be introduced into the contaminated site using nanoparticles where microorganisms that are used for the bioremediation process are also made to grow (Ramezani et al., 2021).

Synthetic Biology and Nanobiohybrids: Nanotechnology with Synthetic Biology is opening new opportunities to build new biological systems with better characteristics than the current systems (Le Feuvre & Scrutton, 2018). While incorporating synthetic biology tools and nanomaterials, scientists are in a position to design and develop nanohybrids with new functions, including photosynthesis, the manufacture of biofuels, and even self-recovering materials. For instance, researchers have developed an artificial photosynthesis system that uses nanotechnologies

to utilize light energy and store the energy as chemical energy (Kathpalia & Verma, 2021). It involves the capability of developing electricity out of such systems by probably displacing the fossil fuel systems. Thus, it can be concluded that the future of nanotechnology in microbiology is quite bright. It is pervaded with great potential in various fields, and if implemented, it will bring a hugely significant and positive change to many aspects of human life, including social, medical, environmental, and industrial.

10. Conclusion

Nanotechnology and microbiology revolutionized the study and control of microorganisms, leading to improvements in microbial detection, anti-microbial designs, and biomanufacturing. Nanotechnology has been applied in healthcare, environmental management, and industrial biotechnology, with ultramodern and selective nanosensors and biosensors enhancing pathogen identification and accelerating disease detection. Advances in nanotechnology also address antibiotic resistance by combining antibiotics with nanoparticle-based antimicrobials (NBAs), which can be managed for multiple target sites, posing a threat to bacterial resistance. They can also be used with known antibiotics to widen the spectrum and or to act behind the bacterial factors of resistance. Morphological and mechanical characteristics of NBAs also contribute towards augmenting the therapeutic outcome by promoting the utility of the targeted drug delivery systems on nanoparticles in such a way that extends the effect of the antimicrobial agents only to the involved tissues and organs and thus minimizes the overall impact on the rest of the body tissues and organs as well as reduce their required dosage. Other areas where nanotechnology is offering much help are Bioremediation techniques, pollution control, and monitoring. Nanoiron oxide, titanium dioxide, and carbon nanotubes are some of the nanomaterials well known for the adsorption and degradation of environmental pollutants, including heavy metals, pesticides, and organic pollutants. Likewise; nanosensors have been employed in establishing the presence of prospective poisonous microorganisms and toxins in water and soil, continuously checking the quality of the environment and providing ways for managers to prevent occurrences of pollution when these are suspected. When modeling the relationships between biotechnology and nanotechnology, one of the fields of application is the improvement of industrial bioprocesses. Nanocarriers, a type of support material, are used to immobilize enzymes and whole cells, which improves their stability and reusability, improving the production of vital bioproducts such as biofuels, enzymes, and pharmaceuticals. The fouling and mass transfer rates are again improving the process and efficiency of bioprocesses by using nanotechnology-assisted bioreactors. It is specifically in the field of microbiology that the future has appeared bright in the employment of nanotechnology, given the numerous possibilities that could be imparted to society concerning health, the surrounding environment, and the whole industry. Today's academic studies in the field of P4 medicine, on smart antimicrobials, nanobots, and precision medicine together with synthetic biology, quell a breakthrough in the future novelty therapeutics, diagnostics, and green bioprocesses. But that requires moving forward with the proper precaution as well as the safety of human beings alongside safety in the use of nanotechnology carrying out safety measures on top of the proper ethical use of the technology. Thus, the hybridization of nanotechnology and microbiology is the key to upgrading science and technology. Thus, as we continue unveiling the face of microbes at the nano-scale, we expect many opportunities to improve human health and preserve the environment and wait in anticipation of a sustainable future. Thus, in walking the path that continues in front of us, we have numerous opposite scenarios in the future, and the union of nanotechnology and microbiology is the key to a better future.

References

- A Stout, D. (2015). Recent advancements in carbon nanofiber and carbon nanotube applications in drug delivery and tissue engineering. *Current Pharmaceutical Design*, 21(15), 2037-2044.
- Abbo, H. S., Gupta, K. C., Khaligh, N. G., & Titinchi, S. J. (2021). Carbon nanomaterials for wastewater treatment. *ChemBioEng reviews*, 8(5), 463-489.

Abdel-Salam, M., Omran, B., Whitehead, K., & Baek, K.-H. (2020). Superior properties and biomedical applications of microorganism-derived fluorescent quantum dots. *Molecules*, 25(19), 4486.

Abdelaziz, M. M., Hefnawy, A., Anter, A., Abdellatif, M. M., Khalil, M. A., & Khalil, I. A. (2022). Silica-coated magnetic nanoparticles for vancomycin conjugation. *ACS omega*, 7(34), 30161-30170.

Adebayo, A. E., Oke, A. M., Lateef, A., Oyatokun, A. A., Abisoye, O. D., Adiji, I. P., Fagbenro, D. O., Amusan, T. V., Badmus, J., & Asafa, T. (2019). Biosynthesis of silver, gold and silver–gold alloy nanoparticles using *Persea americana* fruit peel aqueous extract for their biomedical properties. *Nanotechnology for Environmental Engineering*, 4, 1-15.

Ajayi, R. F., Barry, S., Nkuna, M., Ndou, N., Rakgotho, T., Nqunqa, S., Ngema, N., Thipe, V., & Muluadzi, T. (2022). Nanoparticles in biosensor development for the detection of pathogenic bacteria in water. In *Emerging freshwater pollutants* (pp. 331-358). Elsevier.

ALBERT, H. M. (2023). *Nanotechnology: Physicochemical and Green Synthesis, Characterizations and Applications*. Perfect Writer Publishing.

Alim, S., Vejayam, J., Yusoff, M. M., & Kafi, A. (2018). Recent uses of carbon nanotubes & gold nanoparticles in electrochemistry with application in biosensing: A review. *Biosensors and Bioelectronics*, 121, 125-136.

Amato, P. (2013). Swarm-intelligence strategy for diagnosis of endogenous diseases by nanobots.

Aratboni, H. A., Rafiei, N., Allaf, M. M., Abedini, S., Rasheed, R. N., Seif, A., Barati, B., Wang, S., & Morones-Ramírez, J. R. (2023). Nanotechnology: an outstanding tool for increasing and better exploitation of microalgae valuable compounds. *Algal Research*, 71, 103019.

Aschberger, K., Micheletti, C., Sokull-Klüttgen, B., & Christensen, F. M. (2011). Analysis of currently available data for characterising the risk of engineered nanomaterials to the environment and human health—lessons learned from four case studies. *Environment international*, 37(6), 1143-1156.

Awogbemi, O., & Von Kallon, D. V. (2024). Recent advances in the application of nanomaterials for improved biodiesel, biogas, biohydrogen, and bioethanol production. *Fuel*, 358, 130261.

Azarpour, A., Zendehboudi, S., Mohammadzadeh, O., Rajabzadeh, A. R., & Chatzis, I. (2022). A review on microalgal biomass and biodiesel production through Co-cultivation strategy. *Energy Conversion and Management*, 267, 115757.

Babaniyi, B. R., Ogundele, O. D., Thompson, S. O., & Aransiola, S. A. (2023). Microbial Nanomaterial Synthesis: Types and Applications. In *Microbial Processes for Synthesizing Nanomaterials* (pp. 3-28). Springer.

Balderrama-González, A.-S., Piñón-Castillo, H.-A., Ramírez-Valdespino, C.-A., Landeros-Martínez, L.-L., Orrantia-Borunda, E., & Esparza-Ponce, H.-E. (2021). Antimicrobial resistance and inorganic nanoparticles. *International journal of molecular sciences*, 22(23), 12890.

Bamal, D., Singh, A., Chaudhary, G., Kumar, M., Singh, M., Rani, N., Mundlia, P., & Sehrawat, A. R. (2021). Silver nanoparticles biosynthesis, characterization, antimicrobial activities, applications, cytotoxicity and safety issues: An updated review. *Nanomaterials*, 11(8), 2086.

Bansal, M., & Kaushal, N. (2014). *Oxidative stress mechanisms and their modulation* (Vol. 9). Springer.

- Barros Alvarez, X. (2018). Aminoacyl-tRNA Synthetases as Targets for Structure Guided Drug Design (SGDD) Against Pathogenic Protozoa and Bacteria
- Benjamin, S. R., Lima, F. D., Florean, E. O. P. T., & Guedes, M. I. F. (2019). Current trends in nanotechnology for bioremediation. *International Journal of Environment and Pollution*, 66(1-3), 19-40.
- Bhardwaj, S. K., Bhardwaj, N., Kumar, V., Bhatt, D., Azzouz, A., Bhaumik, J., Kim, K.-H., & Deep, A. (2021). Recent progress in nanomaterial-based sensing of airborne viral and bacterial pathogens. *Environment international*, 146, 106183.
- Biswas, P., Polash, S. A., Dey, D., Kaium, M. A., Mahmud, A. R., Yasmin, F., Baral, S. K., Islam, M. A., Rahaman, T. I., & Abdullah, A. (2023). Advanced implications of nanotechnology in disease control and environmental perspectives. *Biomedicine & Pharmacotherapy*, 158, 114172.
- Brar, B., Marwaha, S., Poonia, A. K., Koul, B., Kajla, S., & Rajput, V. D. (2023). Nanotechnology: a contemporary therapeutic approach in combating infections from multidrug-resistant bacteria. *Archives of Microbiology*, 205(2), 62.
- Campora, S., & Gherzi, G. (2022). Recent developments and applications of smart nanoparticles in biomedicine. *Nanotechnology Reviews*, 11(1), 2595-2631.
- Capek, I., & Capek, I. (2017). Noble metal nanoparticles. *Noble Metal Nanoparticles: Preparation, Composite Nanostructures, Biodecoration and Collective Properties*, 125-210.
- Chakraborty, U., Kaur, G., & Chaudhary, G. R. (2021). Development of environmental nanosensors for detection monitoring and assessment. *New frontiers of nanomaterials in environmental science*, 91-143.
- Chen, W. (2008). Nanoparticle fluorescence based technology for biological applications. *Journal of nanoscience and nanotechnology*, 8(3), 1019-1051.
- Coto-García, A. M., Sotelo-González, E., Fernández-Argüelles, M. T., Pereiro, R., Costa-Fernández, J. M., & Sanz-Medel, A. (2011). Nanoparticles as fluorescent labels for optical imaging and sensing in genomics and proteomics. *Analytical and bioanalytical chemistry*, 399, 29-42.
- Crossette, E. (2021). Microbial Diversity and Antimicrobial Resistance in Land Applied Manure
- Das, S. K., & Marsili, E. (2011). Bioinspired metal nanoparticle: synthesis, properties and application. *Croatia: InTech*.
- Davodabadi, F., Mirinejad, S., Fathi-Karkan, S., Majidpour, M., Ajalli, N., Sheervalilou, R., Sargazi, S., Rozmus, D., Rahdar, A., & Diez-Pascual, A. M. (2023). Aptamer-functionalized quantum dots as theranostic nanotools against cancer and bacterial infections: a comprehensive overview of recent trends. *Biotechnology Progress*, 39(5), e3366.
- Dester, E., & Alocilja, E. (2022). Current methods for extraction and concentration of foodborne bacteria with glycan-coated magnetic nanoparticles: A review. *Biosensors*, 12(2), 112.
- Dey, N., Kamatchi, C., Vickram, A., Anbarasu, K., Thanigaivel, S., Palanivelu, J., Pugazhendhi, A., & Ponnusamy, V. K. (2022). Role of nanomaterials in deactivating multiple drug resistance efflux pumps—A review. *Environmental research*, 204, 111968.
- Du, Y., Zhou, J., He, F., Zang, P., Gong, H., Liu, C., & Yang, P. (2023). A bright future: advanced nanotechnology-assisted microwave therapy. *Nano Today*, 52, 101963.
- Eltzov, E., Marks, R. S., Voost, S., Wullings, B. A., & Heringa, M. B. (2009). Flow-through real time bacterial biosensor for toxic compounds in water. *Sensors and Actuators B: Chemical*,

142(1), 11-18.

Fatima, F., Siddiqui, S., & Khan, W. A. (2021). Nanoparticles as novel emerging therapeutic antibacterial agents in the antibiotics resistant era. *Biological Trace Element Research*, 199(7), 2552-2564.

Feng, S., Wang, Z., Li, A., Xie, X., Liu, J., Li, S., Li, Y., Wang, B., Hu, L., & Yang, L. (2022). Strategies for high-efficiency mutation using the CRISPR/Cas system. *Frontiers in Cell and Developmental Biology*, 9, 803252.

Fouad, F. A., Youssef, D. G., Shahat, F. M., & Abd El-Ghany, M. N. (2022). Role of microorganisms in biodegradation of pollutants. In *Handbook of biodegradable materials* (pp. 1-40). Springer.

Gholami-Shabani, M., Shams-Ghahfarokhi, M., Gholami-Shabani, Z., & Razzaghi-Abyaneh, M. (2016). Microbial enzymes: current features and potential applications in nanobiotechnology. *Advances and applications through fungal nanobiotechnology*, 91-127.

Gupta, T., & Gupta, T. (2018). Graphene. *Carbon: The Black, the Gray and the Transparent*, 197-228.

Gurtovenko, A. A., Anwar, J., & Vattulainen, I. (2010). Defect-mediated trafficking across cell membranes: insights from in silico modeling. *Chemical Reviews*, 110(10), 6077-6103.

Han, J., Zhao, D., Li, D., Wang, X., Jin, Z., & Zhao, K. (2018). Polymer-based nanomaterials and applications for vaccines and drugs. *Polymers*, 10(1), 31.

Hegde, K., Brar, S. K., Verma, M., & Surampalli, R. Y. (2016). Current understandings of toxicity, risks and regulations of engineered nanoparticles with respect to environmental microorganisms. *Nanotechnology for Environmental Engineering*, 1, 1-12.

Hegde, M., Pai, P., Shetty, M. G., & Babitha, K. S. (2022). Gold nanoparticle based biosensors for rapid pathogen detection: A review. *Environmental Nanotechnology, Monitoring & Management*, 18, 100756.

Holban, A. M., Gestal, M. C., & Grumezescu, A. M. (2016). Control of biofilm-associated infections by signaling molecules and nanoparticles. *International journal of pharmaceutics*, 510(2), 409-418.

Huang, M., Ye, K., Hu, T., Liu, K., You, M., Wang, L., & Qin, H. (2021). Silver nanoparticles attenuate the antimicrobial activity of the innate immune system by inhibiting neutrophil-mediated phagocytosis and reactive oxygen species production. *International journal of nanomedicine*, 1345-1360.

Ivanova, A., Ivanova, K., & Tzanov, T. (2018). Inhibition of quorum-sensing: A new paradigm in controlling bacterial virulence and biofilm formation. *biotechnological applications of quorum sensing inhibitors*, 3-21.

Jaseera, K., & Abdulla, T. (2021). Microbial EPS as Immunomodulatory Agents. *Microbial Exopolysaccharides as Novel and Significant Biomaterials*, 235-264.

Jayakumar, A., Mathew, S., Radoor, S., Kim, J. T., Rhim, J.-W., & Siengchin, S. (2023). Recent advances in two-dimensional nanomaterials: Properties, antimicrobial, and drug delivery application of nanocomposites. *Materials Today Chemistry*, 30, 101492.

Kalita, E., & Baruah, J. (2020). Environmental remediation. In *Colloidal metal oxide nanoparticles* (pp. 525-576). Elsevier.

Kalwani, M., Chakdar, H., Srivastava, A., Pabbi, S., & Shukla, P. (2022). Effects of nanofertilizers on soil and plant-associated microbial communities: Emerging trends and perspectives. *Chemosphere*, 287, 132107.

Kathalia, R., & Verma, A. K. (2021). Bio-inspired nanoparticles for artificial photosynthesis. *Materials Today: Proceedings*, 45, 3825-3832.

Khalil, N., El-Sheshtawy, H., & Aman, D. (2016). Elimination of different heavy metals in contaminated soil using indigenous microorganisms and nanoparticle in the El-Rahawy village, Egypt. *Egypt. J. Mater. Environ. Sci*, 7, 2603-2616.

Khalik, A., Kafafy, R., Salleh, H. M., & Faris, W. F. (2012). Enhancing the efficiency of polymerase chain reaction using graphene nanoflakes. *Nanotechnology*, 23(45), 455106.

Khan, R. T., & Rasool, S. (2023). Nanotechnology: A new strategy to combat bacterial infections and antibiotic resistant bacteria. In *Nanotechnology and Human Health* (pp. 167-190). Elsevier.

Khataee, A., & Mansoori, G. A. (2011). Nanostructured titanium dioxide materials: properties, preparation and applications. *World scientific*.

Khorsandi, K., Hosseinzadeh, R., Sadat Esfahani, H., Keyvani-Ghamsari, S., & Ur Rahman, S. (2021). Nanomaterials as drug delivery systems with antibacterial properties: current trends and future priorities. *Expert Review of Anti-infective Therapy*, 19(10), 1299-1323.

Khurana, B., K Goyal, A., Budhiraja, A., Arora, D., & P Vyas, S. (2010). siRNA delivery using nanocarriers-an efficient tool for gene silencing. *Current gene therapy*, 10(2), 139-155.

Kimbrell, G. A. (2009). Governance of nanotechnology and nanomaterials: principles, regulation, and renegotiating the social contract. *Journal of Law, Medicine & Ethics*, 37(4), 706-723.

Konwar, A. N., Hazarika, S. N., Bharadwaj, P., & Thakur, D. (2022). Emerging non-traditional approaches to combat antibiotic resistance. *Current microbiology*, 79(11), 330.

Kramer, I. J., & Sargent, E. H. (2014). The architecture of colloidal quantum dot solar cells: materials to devices. *Chemical Reviews*, 114(1), 863-882.

Kumar, A., Sharma, K., & Dixit, A. R. (2020). Carbon nanotube-and graphene-reinforced multiphase polymeric composites: review on their properties and applications. *Journal of Materials Science*, 55(7), 2682-2724.

Kumar, R., Rawat, K. S., & Mishra, A. K. (2012). Nanoparticles in the soil environment and their behaviour: An overview. *Journal of Applied and Natural Science*, 4(2), 310-324.

Lagopati, N., Evangelou, K., Falaras, P., Tsilibary, E.-P. C., Vasileiou, P. V., Havaki, S., Angelopoulou, A., Pavlatou, E. A., & Gorgoulis, V. G. (2021). Nanomedicine: Photo-activated nanostructured titanium dioxide, as a promising anticancer agent. *Pharmacology & therapeutics*, 222, 107795.

Le Feuvre, R. A., & Scrutton, N. S. (2018). A living foundry for synthetic biological materials: a synthetic biology roadmap to new advanced materials. *Synthetic and Systems Biotechnology*, 3(2), 105-112.

León-Buitimea, A., Garza-Cárdenas, C. R., Román-García, M. F., Ramírez-Díaz, C. A., Ulloa-Ramírez, M., & Morones-Ramírez, J. R. (2022). Nanomaterials-based combinatorial therapy as a strategy to combat antibiotic resistance. *Antibiotics*, 11(6), 794.

León-Silva, S., Fernández-Luqueño, F., & López-Valdez, F. (2018). Engineered nanoparticles: are they an inestimable achievement or a health and environmental concern? *Agricultural*

nanobiotechnology: Modern agriculture for a sustainable future, 183-212.

Leong, C. Y., Wahab, R. A., Lee, S. L., Ponnusamy, V. K., & Chen, Y.-H. (2023). Current perspectives of metal-based nanomaterials as photocatalytic antimicrobial agents and their therapeutic modes of action: A review. *Environmental research*, 227, 115578.

Ling, K. (2018). ENGINEERING THERAPEUTIC AVRA NANOPARTICLES WITH ENHANCED UPTAKE AND INTRACELLULAR DELIVERY WITH APPLICATIONS IN INFLAMMATORY BOWEL DISEASE Georgia Institute of Technology].

Liosis, C., Papadopoulou, A., Karvelas, E., Karakasidis, T. E., & Sarris, I. E. (2021). Heavy metal adsorption using magnetic nanoparticles for water purification: A critical review. *Materials*, 14(24), 7500.

Liu, Y., Li, J., Tschirhart, T., Terrell, J. L., Kim, E., Tsao, C. Y., Kelly, D. L., Bentley, W. E., & Payne, G. F. (2017). Connecting biology to electronics: Molecular communication via redox modality. *Advanced healthcare materials*, 6(24), 1700789.

Long, Y.-T., & Jing, C. (2014). Localized surface plasmon resonance based nanobiosensors. Springer.

Loots, R. (2016). Biofilms as multifunctional surface coatings and adaptive systems: a biomimetic approach Stellenbosch: Stellenbosch University].

Lv, Z., Wang, Z., Wu, S., & Yu, X. (2024). Enhanced catalytic performance of penicillin G acylase by covalent immobilization onto functionally-modified magnetic NiO. 4CuO. 5ZnO. 1Fe₂O₄ nanoparticles. *PloS one*, 19(1), e0297149.

Madkour, L. H. (2019). Function of reactive oxygen species (ROS) inside the living organisms and sources of oxidants. *Pharm. Sci. Anal. Res. J*, 2, 180023.

Maier, R. M. (2015). Biogeochemical cycling. In *Environmental microbiology* (pp. 339-373). Elsevier.

Makama, S. L. (2016). An in vitro–in vivo integrated approach for hazard and risk assessment of silver nanoparticles for soil organisms Wageningen University and Research].

Maksimova, Y. G. (2019). Microorganisms and carbon nanotubes: interaction and applications. *Applied biochemistry and microbiology*, 55, 1-12.

Maldonado-Camargo, L., Unni, M., & Rinaldi, C. (2017). Magnetic characterization of iron oxide nanoparticles for biomedical applications. *Biomedical Nanotechnology: Methods and Protocols*, 47-71.

Manikandan, S., Subbaiya, R., Biruntha, M., Krishnan, R. Y., Muthusamy, G., & Karmegam, N. (2022). Recent development patterns, utilization and prospective of biofuel production: Emerging nanotechnological intervention for environmental sustainability–A review. *Fuel*, 314, 122757.

Marchioni, M., Jouneau, P.-H., Chevallet, M., Michaud-Soret, I., & Deniaud, A. (2018). Silver nanoparticle fate in mammals: Bridging in vitro and in vivo studies. *Coordination Chemistry Reviews*, 364, 118-136.

Markandan, K., Tiong, Y. W., Sankaran, R., Subramanian, S., Markandan, U. D., Chaudhary, V., Numan, A., Khalid, M., & Walvekar, R. (2022). Emergence of infectious diseases and role of advanced nanomaterials in point-of-care diagnostics: a review. *Biotechnology and Genetic Engineering Reviews*, 1-89.

Maynard, A. D. (2007). Nanotechnologies: overview and issues. *Nanotechnology–Toxicological*

Issues and Environmental Safety and Environmental Safety, 1-14.

Mikhailova, E. O. (2021). Gold nanoparticles: Biosynthesis and potential of biomedical application. *Journal of Functional Biomaterials*, 12(4), 70.

Moreno, A. D., Ibarra, D., Eugenio, M. E., & Tomás-Pejó, E. (2020). Laccases as versatile enzymes: from industrial uses to novel applications. *Journal of Chemical Technology & Biotechnology*, 95(3), 481-494.

Morse, S. S. (2012). Public health surveillance and infectious disease detection. *Biosecurity and bioterrorism: biodefense strategy, practice, and science*, 10(1), 6-16.

Mozafari, M., Torkaman, S., Karamouzian, F. M., Rasti, B., & Baral, B. (2021). Antimicrobial applications of nanoliposome encapsulated silver nanoparticles: A potential strategy to overcome bacterial resistance. *Current Nanoscience*, 17(1), 26-40.

Muffler, K., Lakatos, M., Schlegel, C., Strieth, D., Kuhne, S., & Ulber, R. (2014). Application of biofilm bioreactors in white biotechnology. *Productive biofilms*, 123-161.

Mumtaz, M., Baqar, Z., Hussain, N., Bilal, M., Azam, H. M. H., & Iqbal, H. M. (2022). Application of nanomaterials for enhanced production of biodiesel, biooil, biogas, bioethanol, and biohydrogen via lignocellulosic biomass transformation. *Fuel*, 315, 122840.

Murugaiyan, J., Kumar, P. A., Rao, G. S., Iskandar, K., Hawser, S., Hays, J. P., Mohsen, Y., Adukkadukkam, S., Awuah, W. A., & Jose, R. A. M. (2022). Progress in alternative strategies to combat antimicrobial resistance: Focus on antibiotics. *Antibiotics*, 11(2), 200.

Nasrollahzadeh, M., Sajadi, S. M., Sajjadi, M., & Issaabadi, Z. (2019). An introduction to nanotechnology. In *Interface science and technology* (Vol. 28, pp. 1-27). Elsevier.

Om, C., Daily, F., Vlieghe, E., McLaughlin, J. C., & McLaws, M.-L. (2016). "If it's a broad spectrum, it can shoot better": inappropriate antibiotic prescribing in Cambodia. *Antimicrobial Resistance & Infection Control*, 5, 1-8.

Oun, A. A., Roy, S., Shin, G. H., Yoo, S., & Kim, J. T. (2023). pH-sensitive smart indicators based on cellulose and different natural pigments for tracing kimchi ripening stages. *International journal of biological macromolecules*, 242, 124905.

Pal, S., Jana, A., Mondal, K. C., & Halder, S. K. (2022). Omics Approach to Understanding Microbial Diversity. In *Biotechnological Advances for Microbiology, Molecular Biology, and Nanotechnology* (pp. 25-38). Apple Academic Press.

Pandey, M. D. (2022). Perspective of nanomaterials for sustainable biofuel and bioenergy production. *Materials Letters*, 313, 131686.

Pandey, S., & Bodas, D. (2020). High-quality quantum dots for multiplexed bioimaging: A critical review. *Advances in Colloid and Interface Science*, 278, 102137.

Patel, H. K., Kalaria, R. K., & Khimani, M. R. (2020). Nanotechnology: a promising tool for bioremediation. *Removal of toxic pollutants through microbiological and tertiary treatment*, 515-547.

Patil, M. P., & Kim, G.-D. (2017). Eco-friendly approach for nanoparticles synthesis and mechanism behind antibacterial activity of silver and anticancer activity of gold nanoparticles. *Applied microbiology and biotechnology*, 101, 79-92.

Qaiser, H., Uzair, M., Arshad, A., Khattak, J. Z. K., & Bashir, S. (2023). Cell-Free Synthetic Biology: The Novel Approach Towards the Biotechnological Applications. In *Applications of Synthetic Biology in Health, Energy, and Environment* (pp. 22-41). IGI Global.

- Rai, M., Ingle, A. P., Gaikwad, S., Dussán, K. J., & da Silva, S. S. (2017). Role of nanoparticles in enzymatic hydrolysis of lignocellulose in ethanol. *Nanotechnology for bioenergy and biofuel production*, 153-171.
- Ramezani, M., Rad, F. A., Ghahari, S., Ghahari, S., & Ramezani, M. (2021). Nano-bioremediation application for environment contamination by microorganism. *Microbial Rejuvenation of Polluted Environment: Volume 2*, 349-378.
- Rawashdeh, R., & Haik, Y. (2009). Antibacterial mechanisms of metallic nanoparticles: a review. *Dynamic biochemistry, process biotechnology and molecular biology*, 3(2), 12-20.
- Renteria, J. D., Nika, D. L., & Balandin, A. A. (2014). Graphene thermal properties: applications in thermal management and energy storage. *Applied sciences*, 4(4), 525-547.
- Ruedas-Rama, M. J., Walters, J. D., Orte, A., & Hall, E. A. (2012). Fluorescent nanoparticles for intracellular sensing: a review. *Analytica chimica acta*, 751, 1-23.
- Salouti, M., & Ahangari, A. (2014). Nanoparticle based drug delivery systems for treatment of infectious diseases (Vol. 552). InTech London, UK.
- Schrad, N., Pensky, J., Gorski, G., Beganskas, S., Fisher, A. T., & Saltikov, C. (2022). Soil characteristics and redox properties of infiltrating water are determinants of microbial communities at managed aquifer recharge sites. *FEMS Microbiology Ecology*, 98(12), fiac130.
- Sen, S., Banerjee, A., & Acharjee, A. (1999). *Nanotechnology: Shaping the world atom by atom*. Nstc/Ct.
- Shabatina, T. I., Vernaya, O. I., Shabatin, V. P., & Melnikov, M. Y. (2020). Magnetic nanoparticles for biomedical purposes: Modern trends and prospects. *Magnetochemistry*, 6(3), 30.
- Shahbaz, A., Hussain, N., Saleem, M. Z., Saeed, M. U., Bilal, M., & Iqbal, H. M. (2022). Nanoparticles as stimulants for efficient generation of biofuels and renewables. *Fuel*, 319, 123724.
- Shanmugam, S. (2019). *Nanotechnology*. MJP Publisher.
- Shanmugasundaram, T., Radhakrishnan, M., Gopikrishnan, V., Kadirvelu, K., & Balagurunathan, R. (2017). Biocompatible silver, gold and silver/gold alloy nanoparticles for enhanced cancer therapy: in vitro and in vivo perspectives. *Nanoscale*, 9(43), 16773-16790.
- Sharifi, M., Attar, F., Saboury, A. A., Akhtari, K., Hooshmand, N., Hasan, A., El-Sayed, M. A., & Falahati, M. (2019). Plasmonic gold nanoparticles: Optical manipulation, imaging, drug delivery and therapy. *Journal of Controlled Release*, 311, 170-189.
- Sharma, B. (1994). *Water pollution*. Krishna Prakashan Media.
- Sharma, P. K., Dorlikar, S., Rawat, P., Malik, V., Vats, N., Sharma, M., Rhyee, J. S., & Kaushik, A. K. (2021). Nanotechnology and its application: a review. *Nanotechnology in cancer management*, 1-33.
- Shen, Y., Xia, Y., Yang, E., Ye, Z., Ding, Y., Tu, J., Zhang, Y., & Xu, P. (2020). A polyoxyethylene sorbitan oleate modified hollow gold nanoparticle system to escape macrophage phagocytosis designed for triple combination lung cancer therapy via LDL-R mediated endocytosis. *Drug Delivery*, 27(1), 1342-1359.
- Sherje, A. P., Jadhav, M., Dravyakar, B. R., & Kadam, D. (2018). Dendrimers: A versatile nanocarrier for drug delivery and targeting. *International journal of pharmaceuticals*, 548(1), 707-720.
- Singh, P., Garg, A., Pandit, S., Mokkapati, V., & Mijakovic, I. (2018). Antimicrobial effects of biogenic nanoparticles. *Nanomaterials*, 8(12), 1009.

- Skalka, A. M. (2018). *Discovering retroviruses: beacons in the biosphere*. Harvard University Press.
- Smola-Dmochowska, A., Lewicka, K., Macyk, A., Rychter, P., Pamuła, E., & Dobrzyński, P. (2023). Biodegradable polymers and polymer composites with antibacterial properties. *International journal of molecular sciences*, 24(8), 7473.
- Steinmetz, N. F. (2010). Viral nanoparticles as platforms for next-generation therapeutics and imaging devices. *Nanomedicine: Nanotechnology, Biology and Medicine*, 6(5), 634-641.
- Syed, M. A., & Bokhari, S. (2011). Gold nanoparticle based microbial detection and identification. *Journal of biomedical nanotechnology*, 7(2), 229-237.
- Tanji, T. (2009). Oversight policy in synthetic biology.
- Thakur, V. K., & Thakur, M. K. (2018). *Chemical functionalization of carbon nanomaterials*. CRC Press Warentown (NJ).
- Thomsen, T., & Klok, H.-A. (2021). Chemical cell surface modification and analysis of nanoparticle-modified living cells. *ACS Applied Bio Materials*, 4(3), 2293-2306.
- Ujica, M. A., Paltinean, G. A., Mocanu, A., & Tomoaia-Cotisel, M. (2020). Silver and gold nanoparticles: challenges and perspectives. *Acad. Rom. Sci. Ann.-Ser. Biol. Sci*, 9, 97-139.
- Ukkund, S. J., Alke, B., Taqui, S. N., & Syed, U. T. (2022). Role of microbial nanotechnology in energy devices. In *Handbook of Microbial Nanotechnology* (pp. 517-547). Elsevier.
- Ullah, N. M., Bashir, K., Ali, Q., Amin, M. U., Yilmaz, S., & Amin, F. U. (2023). An Overview of Bioremediation: An Ecofriendly Approach for Heavy Metals Removal.
- Urban, P., Jose Valle-Delgado, J., Moles, E., Marques, J., Diez, C., & Fernandez-Busquets, X. (2012). Nanotools for the delivery of antimicrobial peptides. *Current Drug Targets*, 13(9), 1158-1172.
- Uruén, C., Chopo-Escuin, G., Tommassen, J., Mainar-Jaime, R. C., & Arenas, J. (2020). Biofilms as promoters of bacterial antibiotic resistance and tolerance. *Antibiotics*, 10(1), 3.
- Wu, F., Harper, B. J., & Harper, S. L. (2017). Differential dissolution and toxicity of surface functionalized silver nanoparticles in small-scale microcosms: Impacts of community complexity. *Environmental Science: Nano*, 4(2), 359-372.
- Wu, S., Duan, N., Gu, H., Hao, L., Ye, H., Gong, W., & Wang, Z. (2016). A Review of the Methods for Detection of *Staphylococcus aureus* Enterotoxins. *Toxins*, 8(7), 176.
- Yavari-Bafghi, M., Shavandi, M., Dastgheib, S. M. M., & Amoozegar, M. A. (2022). Simultaneous application of CaO₂ nanoparticles and microbial consortium in Small Bioreactor Chambers (SBCs) for phenol removal from groundwater. *Process Safety and Environmental Protection*, 160, 465-477.
- Zanchetta, G., Lanfranco, R., Giavazzi, F., Bellini, T., & Buscaglia, M. (2017). Emerging applications of label-free optical biosensors. *Nanophotonics*, 6(4), 627-645.
- Zhang, L., Zhu, Y., Zhang, J., Zeng, G., Dong, H., Cao, W., Fang, W., Cheng, Y., Wang, Y., & Ning, Q. (2019). Impacts of iron oxide nanoparticles on organic matter degradation and microbial enzyme activities during agricultural waste composting. *Waste Management*, 95, 289-297.
- Zhao, S., Sun, D., Zhang, J., Lu, H., Wang, Y., Xiong, R., & Grattan, K. (2022). Actuation and biomedical development of micro-/nanorobots—A review. *Materials Today Nano*, 18, 100223.
- Zhu, K., Dietrich, R., Didier, A., Doyscher, D., & Märklbauer, E. (2014). Recent developments

in antibody-based assays for the detection of bacterial toxins. *Toxins*, 6(4), 1325-1348.

About The Authors

Sundas Ashraf received her Bachelor degree in 2023 from Cholistan university of veterinary and Animal Sciences, Bahawalpur, Pakistan and is currently pursuing Her M.phil from University of Agriculture Faisalabad, Pakistan. Her Research interest Include, Epidemiology, public Health, Nanotechnology and Food safety.

Email: sundasashraf2001@gmail.com

ORCID:0009-0002-8109-1209

Maria Nazir is an MPhil Scholar of Microbiology at the Cholistan University of Veterinary and Animal Sciences (CUVAS) in Bahawalpur, Pakistan. She is involved in a National Research Program for Universities (NRPU) Project, with research interests in Molecular Characterization. She has submitted abstracts to various conferences and authored and coauthored of several book chapters. Her research focuses on the isolation and Molecular characterization of *Corynebacterium pseudotuberculosis* and their applications in promoting animal health. Her interested research criteria are based on genetics, molecular biology, and bioinformatics.

Email: nazirmaria545@gmail.com

ORCID 0009-0004-6714-6212

Muhammad Haris Khan received his MPhil in biochemistry in 2022 from the University of Veterinary and Animal Sciences, Lahore Pakistan. He is a Researcher of Biochemistry, Molecular Biology, and Genetics at the University of Veterinary and Animal Sciences, Lahore Pakistan. His research interests include predictive breeding models, Genetic selection, biochemistry, and molecular Biology.

Email: muhammadhariskhan92@gmail.com

ORCID: 0009-0002-4778-0828

Miss Iqra Fazil completed her MPhil in Microbiology in 2024 from Khyber Medical University Peshawar. Her research interests include biosafety and biosecurity, animal model handling, infectious disease, genetic disease, genomics, and molecular diagnosis.

Email: iqrafaziluop@gmail.com

ORCID:0009-0009-3545-7055

Mr. Atif Ahmed received his M. Phil. 2023 from CEMB, University of the Punjab I, Lahore. His research includes microbiology, molecular biology, and proteomics. He has published one research article in an international journal.

Email: atif.ahmed@cemb.edu.pk

ORCID: 0000-0001-9571-1304

Minahal Fatima and She is doing M.Phil in Zoology, Wildlife and Fisheries from University of Agriculture, Faisalabad, Pakistan. Her research interest includes fish survival via changing the environmental factor. Not only the fish survive it also counts the progeny's survival. She has only one paper in International Journal and 12 Chapters in national and international Journals.

Email: fatimaabdulhameed08@gmail.com

ORCID: 0009-0003-4387-6854

Dr. Muhammad SAFDAR earned his PhD in Molecular Biology and Genetics from Gaziantep University, Turkey. He is Lecturer in the Breeding and Genetics department at Cholistan University of Veterinary and Animal Sciences (CUVAS), Bahawalpur, Pakistan. His research interests are molecular genetics and genomics, nutrigenomics, nano-genomics, bioinformatics, biotechnology, and their applications. He has published more than 70 research articles in national and international journals. He has also written many book chapters as well as an edited book. He is an associate editor for international journals.

E-mail: msafdar@cuvas.edu.pk

ORCID: 0000 0002 3720 2090

To Cite This Chapter

ASHRAF S et al., (2024). Nanotechnology in microbiology: bridging tiny worlds for big impacts. In *Current Studies in Health and Life Sciences 2024* (pp.74-101). ISRES Publishing.