# MICROORGANISM AND ANIMAL: EXPLORING SYMBIOTIC RELATIONSHIP

Asad Ullah KHARIK

Symbiotic relationships between microorganisms and animals are fundamental to biotechnology, offering a myriad of applications in various industries. This chapter provides an overview of symbiosis, highlighting its historical context and significance in biotechnological processes. It explores the microbial diversity involved in symbiotic relationships, emphasizing the role of bacteria, fungi, and protists in biotechnological applications. The chapter also discusses symbiosis in biotechnological processes, including microbial fermentation, bioremediation, and biopharmaceutical production. Furthermore, it examines the engineering of symbiotic relationships through genetic manipulation and synthetic biology, addressing ethical considerations and challenges. Case studies illustrate successful symbiotic relationships in biotechnology, showcasing their impact on industries. The chapter discusses the environmental and economic implications of symbiotic biotechnology, highlighting its sustainability and potential for bio-based industries. It concludes with a discussion on future directions and emerging trends, emphasizing the importance of understanding and harnessing symbiotic relationships in shaping the future of biotechnology.

## Introduction

The topic of animal health and productivity is vast and diverse, including everything from illness prevention and nutrition to selective breeding and efficient management techniques. However, a secret world—a tiny domain teeming with life and deep influence—underlies the production and well-being of animals. With their animal hosts, microorganisms, the unseen builders of the natural order, create complex and often necessary connections that influence the very food we consume and have an effect on agricultural systems (LeBlanc, Lissemore, Kelton, Duffield, & Leslie, 2006).

The term "living together," which comes from the Greek "symbiosis," refers to a wide range of interactions that occur between various types of organisms. Symbiosis is the foundation of many biological processes, ranging from mutualistic partnerships where both parties gain (mutualism) to parasitic connections where one-party gains at the cost of the other. The complex network of mutualistic interactions has the most revolutionary potential when it comes to animal health and output (Paracer & Ahmadjian, 2000).

Bees carry out a vital task as they buzz from flower to blossom: pollination. Plant reproduction relies on this exchange to produce fruits, seeds, and the next generation of blooming plants. The bees get delicious nectar and protein-rich pollen in exchange, which provides vital nutrition for their colonies. It's a prime illustration of symbiosis, in which both sides get concrete advantages and support the growth of their mutual environment (Kevan & Phillips, 2001).

However, symbiosis goes well beyond these apparent alliances. Consider the partnership that exists between ants and acacia plants. The acacia's delicious nectar and unique dwelling structures attract the ants, who then turn into ferocious protectors of their home plant. To ensure the acacia's continuous growth and survival, they even drive away rival plants and fight off herbivorous insects. The complex interdependence that results from symbiotic partnerships serve as a reminder of their enormous ecological importance (Richardson, Allsopp, D'ANTONIO, Milton, & Rejmánek, 2000).

Much closer to home, many symbiotic microorganisms live within our own bodies. There are many bacteria, fungi, and viruses in our skin, respiratory system, and, most importantly, digestive system. The microbiome, an internal ecology, is known to perform a startling array of functions in our overall health and wellbeing. Our immune systems are trained to distinguish between friends

and foes by gut microbes, which also assist in the breakdown of complex foods and the synthesis of vital vitamins. Disruptions in this complex community have been associated with problems that impact our emotions and mental health as well as ailments including allergies and inflammatory bowel disorders (Wilson, 2005).

The productivity and general health of the animals we raise for food are governed by the same laws that govern human health. Cattle, sheep, and goats are examples of ruminant animals that have an amazing digestive system made up of many stomachs (Hofmann, 1989). A variety of microorganisms, including bacteria, protozoa, archaea, and fungus, participate in a symphony of metabolic activities inside the biggest of these, the rumen. The hard cellulose plant matter that makes up the ruminant's diet is broken down by these microorganisms, generating volatile fatty acids that the host animal consumes and uses as its main energy source. The foundation of ruminant nutrition is this collaboration, which allows the animals to flourish on normally indigestible grasses and forages (Van Soest, 1994).

Considerable promise for real-world applications exists in the research of symbiotic interactions in the context of animal health and productivity. Probiotics, which are living microorganisms that benefit their host when given in the right doses, may be used to alter the delicate balance of our internal microbiomeAs well as for pharmacological use, probiotics are also being researched in veterinary medicine for enhancing the effectivity of the animals' immune system and for promoting a healthier digestive system which can eventually lower the need for antibiotics that are administrated during animal-raising. (Johnson, Graham, & Smith, 1997).

Advancing beyond the practically endowed probiotics, new methods of disease prevention in animals might be opened through deepening our knowledge on symbiosis. The studies show that specific symbiotic kinds of bacteria become interact with inflammatory procedures, enhance the host defense mechanism against pathogenic invaders and even educate the immune system. Using such integrated relationships strategically may induce revolutionary improvements in the notion of animal health management and disease prevention. Ranging from farming that is symbiotic, symbiotic principles enter the sphere of sustainable agriculture that battle some of the most grave environmental issues currently faced by us. (Holmgren, 2020). The production of biofuels is in a great deal possible as they the decomposition of cellulose requires a lot energy and is highly notoriously. Research will be carried out on how the microscopic organisms living symbiotically in the intestines of animals like the termites are able to break down plant materials and wood with ease and thereafter devise a bioreactor that will function very well. Therefore, such inventions are necessary part of the diversification of the energy production, of lessening its environmental impact, and of development of a hybrid renewable fuel created of agricultural waste streams. (Cherubini, 2010).

In addition to that, the cattle feeding and nutrition are made symbiotic. The microbiome of the rumen, which is very complex, is targeted by the researchers because it influences feed efficiency, causes methane emissions—a major greenhouse gas, and later on it determines the performance of the animals. These development could be the solution to beef production efficiency and sustainability at the same time which would reduce the global food insecurity. (Godfray & Garnett, 2014).

However, what needs to also be kept in mind is that we still have limited knowledge in the essence of microbe-animal symbiosis which is quite a large and complex realm. While the present alliances make their contribution to development, some are still beyond sight and not so understood that their benefits are not even realized yet. We churn out new processes for creating industrial products, agriculture, and animal health on the basis of every link that we identify and existing mechanism that we identify. On the same theme, recent articles reveal that the bacteria of some insects digest plastic by symbiosis and, hence, could be key agents in the degradation of synthetic substances on land and in the oceans. (Doz & Hamel, 1998). Could this information be used to create innovative bioremediation techniques to address the expanding issue of plastic pollution?

There are many opportunities inside these covert alliances.

It is important to take a comprehensive approach as we explore symbiosis in more detail. The intricate balance of these interactions is sometimes influenced by a variety of events, making them seldom straightforward or predictable. The long-term effects of any treatments intended to modify symbiotic systems must be carefully taken into account. In addition, ethical issues must come first, giving animal welfare and the correct use of biotechnology first priority (Thompson, 1994).

Science, scientific curiosity, and the desire for a more sustainable and healthier future for people and animals alike drive the study of animal-microbe symbiosis. It's an area that encourages cooperation amongst veterinarians, ecologists, microbiologists, and engineers since it blurs the limits between conventional specialties (Bud, 1994). With each step forward, we unveil new layers of complexity and awe-inspiring potential, leading us towards solutions to real-world problems and a deeper understanding of the interconnected web of life. This field is not merely about advancing knowledge; it holds the key to shaping a better, more harmonious future where humans, animals, and the ecosystems we all depend upon thrive in unison (Kimmerer, 2013).

**Symbiotic Relationships**

Symbiotic relationships are of great importance in the context of nutrient cycling and ecosystem stability. Bacteria in the root nodules of leguminous plants fix nitrogen, which is to say they convert atmospheric nitrogen to a form usable by plants. This is useful both to the bacteria and the plant. In the gut micro-biome of animals, symbiotic relationships are critical to digestion, immune system development, and protection from pathogens (DeAngelis, 2012).





**Figure 1.** Symbiotic Relationship and its types

**Biotechnological Applications**

An understanding of symbiotic relationships has led to several highly successful biotechnological applications. In agriculture, the use of symbiotic nitrogen-fixing bacteria as biofertilizers has allowed the reduction of synthetic fertilizer use thereby lowering both cost and environmental impact. In human medicine, a similar strategy is now quite widely employed in that probiotics (food with live beneficial microorganisms) are now commonly used to restore microbial balance in the gut

and as a treatment for a variety of digestive disorders (Ramanan, Kim, Cho, Oh, & Kim, 2016).

**Table 1:** Biotechnological Applications of Animal-Microorganism Symbiosis

| Field | Symbiotic Relationship | Animal/ Human | Microorganism | Application | References |
|---|---|---|---|---|---|
| Animal Health | Mutualism: Gut Microbiome | Animal | Beneficial gut bacteria (ex: Lactobacillus, Bifidobacterium) | Probiotics (improves digestion, potential broader health impacts) | (Sender et al., 2016) |
| Animal Health | Commensalism: Skin Microbiome | Animal | Various skin bacteria and fungi | Support for healthy skin, protection against pathogens | (Grice, 2023) |
| Animal Health | Mutualism: Ruminant Digestion | Ruminants (cattle, sheep, goats) | Rumen bacteria, fungi, protozoa | Improved digestion of plant material, nutrient extraction | (Hobson & Stewart, 1997) |
| Environ-mental | Mutualism/ Commensalism: Bioremediation | Animals (various) | Microbes capable of degrading pollutants | Breakdown of contaminants in animal waste, contaminated sites | (Van Hamme et al., 2003) |
| Food Pro-duction | Mutualism: Fermentation | Animals | Bacteria and yeasts (ex: Lactobacillus in yogurt, Saccharomyces in bread) | Food preservation, flavor development, creation of fermented products | (Steinkraus, 2002) |

**Challenges and Future Directions**

Despite its potential benefits, leveraging the power of symbiotic relationships in biotechnology has its challenges. One such challenge is their inherent complexity, necessitating an interdisciplinary approach for its comprehensive comprehension and application. Future research should aim to explore new symbiotic relationships, reveal the underlying mechanisms of those that are already established, and thereby deliver innovative biotechnological solutions across these relationships (Davis & Eisenhardt, 2011).

**The Role of Microorganisms in Animal Health**

Microorganisms are the main players in the health and welfare of animals. The microbiota is made up of the microorganisms-fungi, the bacteria, archaea, viruses and protozoa. Good of organisms such as bacteria, archaea, and fungi and others make up the microbiome in the skin, gastrointestinal tract, and reproductive. Plats of the organs is considered to be of very high impact to the animal health levels. The role of the microflora in digestion, immune system formation, and gets rid of the pathogens is known by now. Based on facts, and there is a demanding need to find out what an organic matter has and how the process of decomposition takes place. Which is not only directed to better animal health but also to advance biotechnological usage (Hoffmann, Proctor, Surette, & Suchodolski, 2016).

### Composition of the Microbiota

The microbiota includes a wide variety of microorganisms: bacteria, archaea, fungi and virus. They are species that form very complex microbial ecosystems which each one of them has a particular profile. It includes the characteristics of the animal species, its diet and its habitat. In the gut of mammals, the gastrointestinal tract (GIT) is a passage where they digest material orally. Bacteria were even in the majority and this was mainly the corresponding detection of the dominants. Bacteroidetes and Firmicutes reported in Xu et al. Study implied that these microorganisms exist. Hence the yet unknown varieties of organisms are in the habitats and living under such circumstances and biotypes. Where led to digestion and performance of some nutrients' functions sensors and peaks (Gomaa, 2020).

### Functions of the Microbiota

The host's microbiota fulfils lots of vital roles which are accountable for the animal's fitness. For example, the microbiota performs digestive purposes, which are degrading complex carbohydrates and proteins hence the host cannot produce in facet. Besides, the microbiota contributes to the early immune system shaping through the time of its development. Educating the immune system to choose between harmful pathogen and actual wellbeing microorganisms (Zmora, Suez, & Elinav, 2019).

### Impact of Microbiota Imbalance

Imbalances in the microbiota, called dysbiosis, can have profound impacts on animal health. Dysbiosis may arise due to factors such as antibiotic treatments, diet changes, or stress, and can cause disorders of digestion, immune system function, and increased susceptibility to infections. Understanding and managing dysbiosis is a crucial endeavor in maintaining animal health and harnessing the full potential of biotechnological applications (Carding, Verbeke, Vipond, Corfe, & Owen, 2015).

### Future Directions in Microbiota Research

Future research on the microbiota should be directed toward uncovering the mechanisms that mediate microbe-animal associations and studying the many ways microbiotas impact animal physiology and behavior. In order to provide the greatest benefits before, during, and after birth, strategies must be developed to purposely manipulate microbiotas to enhance animal health and production outcomes (Hong, Shang, Sun, Tang, & Wang, 2023).

### Biotechnological Applications of Animal-Microorganism Symbiosis

The potential of the symbiotic relationships between animals and microorganisms in biotechnology has been recognized for a long time. From improving animal health and nutrition to enhancing environmental sustainability, there have been a wide range of applications. Thus, many authors have described and interpreted the main biotechnological applications of animal-microorganism symbioses and their implications. This chapter is devoted to explore some of these applications and suggest some others not always sufficiently investigated by the scientific community yet (McFall-Ngai et al., 2013).

### Probiotics in Animal Nutrition

Probiotics, micro-organisms capable of fulfilling functional roles and administered in adequate quantities, capable of providing either a protective or beneficial effect. Common reasons that can motivate pet owners to switch to the raw food diet has to do with general health benefits to the host, which is currently the most emphasized area in animal nutrition. They have been used to increased feed nutrient assimilation, and boosted immune response, the effect of which is to increase the quality and yield of the product. Play a huge role as well as in prevention of gastrointestinal illnesses. Slowly but steadily, these disorders will be reduced to a minimum level. Favorably for

the most frequent case. For protection of human health pro-bio-microbial Biodegradation is found in Environmental clean-up around the world (Macpherson, 2005).

Lactobacilli are a key group of bacteria found in many probiotic supplements, playing a crucial role in promoting health in both humans and animals. They are naturally present in the gut, where they contribute to a balanced microbiome and support various bodily functions. Lactobacilli-based probiotics are often used in poultry farming to boost intestinal health and increase production. For example, supplementing broiler chicken diets with Lactobacillus acidophilus and Lactobacillus casei dramatically enhanced growth performance, feed efficiency, and gut architecture. This shows that lactobacilli may play an important role in improving poultry productivity and health {Jha, 2020 #2}.





**Figure 2.** Role of lactobacillus sp in improving poultry productivity and health

**Microbial Biodegradation**

Microbial transformations are major forces in the process of cleaning up the environment. Microorganisms and microbial communities responsible for rendering pollutants into less hazardous forms are being decisive elements substances. This practice is referred to as biodegradation and is commonly employed in wastewater treatment, fermentation of organic waste into biogas, and recycling of end-of-life products. The role of plants in accumulation of organic pollutants in soil and contaminated sites cleaning. Sustainable management of livestock waste relying on the synergies between the livestock and the microorganisms can enhance the value of the waste from the earth nutrient perspective biodegradation process (Cunningham, Anderson, Schwab, & Hsu, 1996).

**Microbial Diversity for Animal Health and Production**

The expression "microbial diversity" means the variety of microbes in a specific environment. Revealing this microbial diversity in the area of animal health and production involves the application of such a wide range of microbes as weapons against pathogens and growth promotion. Maximizing energy conversion efficiency and reducing environmental concerns. The importance of such microbial diversity and the biotechnology application are both discussed in this chapter.

### Importance of Microbial Diversity

The significance of microbial diversity in the conservation of ecosystem stability and dynamics is unquestionable. In animal systems microbes have a diversity across the gut, skin and some other body parts. The rest of body sites also has huge impact on metabolism and digestion and the growth and the activity of the immune defense, the protection against pathogens. Understanding and preserving microbial as well, sustainability of agriculture and for animal production involve diversity (Bull, Ward, & Goodfellow, 2000).

### Animal Health Applications

Utilizing the diversity of microbes will lead to the discovery of novel and better solutions. Methods of developing new probiotics, prebiotics and symbiotic, which improve animal health. Such products are intended to ensure animal health which is a reflection of positive benefits for the consumers as well. Consumer by enhancing nutrient absorption and defending immune functions, and concurrently, lowering the risk of gastrointestinal disorders in animals. Animals will become healthier and thinner, so they will no longer need antibiotics (Woo, Lau, Teng, Tse, & Yuen, 2008).

### Applications in Production Efficiency

Microbial diversity can also be deployed to boost the efficiency of feed and animal production. For instance, microbial enzymes can be employed to break down complex feed components into their simpler, more digestible forms, which can in turn improve feed efficiency and nutrient utilization. Moreover, microbial fermentation processes can be used to make a diverse range of valuable products ranging from biofuels to enzymes to products of chemical synthesis, from an almost equally diverse range of waste materials generated during agriculture (Adeola & Cowieson, 2011).

### Future Directions in Harnessing Microbial Diversity

The detection of unknown biochemical pathways suggests that the microbial species themselves may also have great potential for application to animal health and production. Collaboration among researchers, industry, and policy makers will be essential for the proper stewardship of microbial diversity in biotechnology. Advances in metagenomics and other molecular methods are revealing a rich resource of functional activities not yet encoded in the genomes of known bacteria. Future work will be focused on the isolation of new species to test in animal-production systems and the culture-independent discovery of genes and gene families with clearly defined roles in supporting animal life (Franzosa et al., 2015).

## The Impact of Microorganisms on Animal Behavior

Microorganisms play a major role in shaping the behavior of animals. They influence a variety of behaviors including feeding, social interactions, and mate preferences by mechanisms, which are explored in this chapter, with impacts for biotechnology.

### Influence on Feeding Behavior

The gut microbes can affect the feeding behavior by mediating the release of neurotransmitters as well as hormones that regulate appetite. For instance, some short chain fatty acids (SCFA) that are generated by certain strains of gut microorganisms evoke the production of satiety hormones that eventually halt the food intake (Van de Wouw, Schellekens, Dinan, & Cryan, 2017).

### Impact on Mating Preferences

Microorganisms also can make an animal's choice of mate recognizable. In one experiment, the author demonstrated that microbial community changes in the gut were followed by dramatic changes in steroid hormone production by the liver resulting in altered pheromone or other signaling molecules that might suggest reproductive status. Such an alteration in behavior will influence

reproduction success and population dynamics too (McFall-Ngai et al., 2013).

**Biotechnological Implications**

The process of coming to realize the impact of microorganisms on animal behavior was not just a fun scientific observation. Fundamental biotechnological considerations are also there.

Such an example could be the altering of the intestinal microbes which could change the feeding behavior of livestock so as to make it more efficient and less harmful to the environment. In addition to this, learning about how microbes are important for social interactions provides clues on the ways in which stress levels can be lowered and welfare status can be enhanced in domesticated animals (Broom, Johnson, & Broom, 1993).

**Appropriate Illustrations on Symbiosis in Biotechnology**

Case study brings valuable knowledge concerning how symbiosis can be potentially used for practical applications in biotechnology. This section will concentrate on a few of the instances of symbiosis that have been combined to tackle the main agriculture, medicine, and ecology challenges.

**Example; Rhizobium-Legume Symbiosis**

One of the most well-known examples of symbiosis in agriculture is the association between rhizobium bacteria and leguminous plants. Rhizobium bacteria infect the roots of legume plants (e.g., soybean or alfalfa) and form nodules, where they fix atmospheric nitrogen into a form that can be taken up by the plant and used for growth. The relationship is thought to supply 15–20% of non-symbiotic N2 and reduces the demand for synthetic nitrogenous fertilizer in agricultural plantings, thereby reducing its associated environmental footprint and cost (Gage, 2004).

**Challenges and Ethical Considerations in Harnessing Symbiotic Relationships**

While symbiotic relationships present numerous opportunities in biotechnology, there are also significant challenges and associated ethical considerations. In this chapter, the essence of some of the main issues as well as ethical aspects of opting to engage in this kind of symbiotic relations have been discussed.

**Environmental Impact**

The main obstacle and the ethical issue of such big science project is the consequences for nature when such technologies are used in real life, as there is a probability of negative environmental impact. Altering microbial communities. In what of non-native microorganisms are added by the ecosystem, it is then very impossible to know what the consequences might be of that interaction. These transformations can put at risk ecological equilibrium, with so many long-term effects that may turn to be unpredictable. It is paramount that all the possible dangers and chances brought by these associations is examined under close scrutiny (Folke, 2006).

**Antibiotic Resistance**

Bacteria facing antibiotics develop resistance to them is an innate process that is, however, quickened due to their panting as a drug in the farm animals as well as in human and veterinary medicine. Furthermore, the microbes used by biotechnology to improve plant development could also contain many complicated genes that may modify the resistance against antibiotics. It is a must that the drug resistant mutants should not be able to share their pathways with the single cell organisms or above the level organisms (Sassetti, Boyd, & Rubin, 2003).

**Ethical Considerations**

Additionally, the ethical aspects of the employment of symbiotic relationships in biotechnology end up with the need for considering the issues resulting from the animals involved in experiments

just as the ones showing the benefits and consequences of the usage of genetically modified micro-organisms in the production of food. Not only is it important for research or applications to follow ethical rules, but it is also crucial for them to build ethical standards by themselves (Beever & Kemp, 2000)

**Regulatory Frameworks**

At the same time, it is essential to create regulatory frameworks that foster the use of symbiotic relationships in biotechnology while also protecting the health of humans, animal welfare, and the environment. Thus, creating effective regulatory frameworks will require the cooperation and input of policymakers, scientists, and other stakeholders.

Addressing these challenges and ethical considerations will be essential for harnessing the full potential of symbiotic relationships in biotechnology. It will be crucial to continue efforts to Develop sustainable practices that encourage the use of symbiotic relationships in biotechnology, minimize risks to human health, animal welfare, and the environment (e.g., by ensuring that only safe, well-tested symbiotic relationships are used) and employ them in a way that respects human rights and is beneficial to society and the environment (Peixoto et al., 2022).

**Future Prospects: Emerging Technologies in Symbiotic Relationships**

As technology continues to advance, increased opportunities are emerging to exploit symbiotic relationships for both basic and biotechnology applications. This chapter will survey some of the emerging technologies that are poised revolutionize the field of symbiosis and their biotechnology applications.

**Microbiome Engineering**

Microbiome engineering involves the deliberate modulation of microbial communities to achieve specific, desired outcomes. This may involve the development of custom probiotics/ prebiotics that can be used to improve production efficiency in agriculture, or to treat specific health conditions. By modulating microbial communities, it may be possible to optimize the symbiotic relationships that exist among members in the community (Frey-Klett et al., 2011).

**Synthetic biology**

SFA researchers are intrigued by the potential of synthetic biology to engineer beneficial symbionts. Synthetic biology is a rapidly growing field that focuses on the design and construction of new biological parts, devices, and systems. In the context of symbiosis, synthetic biology can be used to engineer microorganisms with enhanced functional capabilities; for example, enhanced nutrient uptake or the production of valuable compounds. These engineered microorganisms could enable new approaches to enhance agricultural productivity, develop novel therapeutics, or cleanup environmental pollutants (Andrianantoandro, Basu, Karig, & Weiss, 2006).

**References**

Adeola, O., & Cowieson, A. (2011). Board-invited review: opportunities and challenges in using exogenous enzymes to improve nonruminant animal production. Journal of animal science, 89(10), 3189-3218.

Andrianantoandro, E., Basu, S., Karig, D. K., & Weiss, R. (2006). Synthetic biology: new engineering rules for an emerging discipline. Molecular systems biology, 2(1), 2006.0028.

Beever, D. E., & Kemp, C. (2000). Safety issues associated with the DNA in animal feed derived from genetically modified crops. A review of scientific and regulatory procedures.

Broom, D. M., Johnson, K. G., & Broom, D. M. (1993). Stress and animal welfare (Vol.

993): Springer.

Bud, R. (1994). The uses of life: a history of biotechnology: Cambridge University Press.

Bull, A. T., Ward, A. C., & Goodfellow, M. (2000). Search and discovery strategies for biotechnology: the paradigm shift. Microbiology and Molecular biology reviews, 64(3), 573-606.

Carding, S., Verbeke, K., Vipond, D. T., Corfe, B. M., & Owen, L. J. (2015). Dysbiosis of the gut microbiota in disease. Microbial ecology in health and disease, 26(1), 26191.

Cherubini, F. (2010). The biorefinery concept: Using biomass instead of oil for producing energy and chemicals. Energy conversion and management, 51(7), 1412-1421.

Cunningham, S. D., Anderson, T. A., Schwab, A. P., & Hsu, F. (1996). Phytoremediation of soils contaminated with organic pollutants. Advances in agronomy, 56(1), 55-114.

Davis, J. P., & Eisenhardt, K. M. (2011). Rotating leadership and collaborative innovation: Recombination processes in symbiotic relationships. Administrative Science Quarterly, 56(2), 159-201.

DeAngelis, D. L. (2012). Dynamics of nutrient cycling and food webs (Vol. 9): Springer Science & Business Media.

Doz, Y. L., & Hamel, G. (1998). Alliance advantage: The art of creating value through partnering: Harvard Business Press.

Folke, C. (2006). Resilience: The emergence of a perspective for social–ecological systems analyses. Global environmental change, 16(3), 253-267.

Franzosa, E. A., Hsu, T., Sirota-Madi, A., Shafquat, A., Abu-Ali, G., Morgan, X. C., & Huttenhower, C. (2015). Sequencing and beyond: integrating molecular'omics' for microbial community profiling. Nature Reviews Microbiology, 13(6), 360-372.

Frey-Klett, P., Burlinson, P., Deveau, A., Barret, M., Tarkka, M., & Sarniguet, A. (2011). Bacterial-fungal interactions: hyphens between agricultural, clinical, environmental, and food microbiologists. Microbiology and Molecular biology reviews, 75(4), 583-609.

Gage, D. J. (2004). Infection and invasion of roots by symbiotic, nitrogen-fixing rhizobia during nodulation of temperate legumes. Microbiology and Molecular biology reviews, 68(2), 280-300.

Godfray, H. C. J., & Garnett, T. (2014). Food security and sustainable intensification. Philosophical transactions of the Royal Society B: biological sciences, 369(1639), 20120273.

Gomaa, E. Z. (2020). Human gut microbiota/microbiome in health and diseases: a review. Antonie Van Leeuwenhoek, 113(12), 2019-2040.

Hoffmann, A. R., Proctor, L., Surette, M., & Suchodolski, J. (2016). The microbiome: the trillions of microorganisms that maintain health and cause disease in humans and companion animals. Veterinary pathology, 53(1), 10-21.

Hofmann, R. R. (1989). Evolutionary steps of ecophysiological adaptation and diversification of ruminants: a comparative view of their digestive system. Oecologia, 78(4), 443-457.

Holmgren, D. (2020). Essence of permaculture: Melliodora Publishing Seymour, VIC, Australia.

Hong, S., Shang, J., Sun, Y., Tang, G., & Wang, C. (2023). Fungal infection of insects: molecular insights and prospects. Trends in Microbiology.

Johnson, N. C., Graham, J. H., & Smith, F. A. (1997). Functioning of mycorrhizal associations

along the mutualism–parasitism continuum. The New Phytologist, 135(4), 575-585.

Kevan, P. G., & Phillips, T. P. (2001). The economic impacts of pollinator declines: an approach to assessing the consequences. Conservation ecology, 5(1).

Kimmerer, R. (2013). Braiding sweetgrass: Indigenous wisdom, scientific knowledge and the teachings of plants: Milkweed editions.

LeBlanc, S., Lissemore, K., Kelton, D., Duffield, T., & Leslie, K. (2006). Major advances in disease prevention in dairy cattle. Journal of dairy science, 89(4), 1267-1279.

Macpherson, C. N. (2005). Human behaviour and the epidemiology of parasitic zoonoses. International journal for parasitology, 35(11-12), 1319-1331.

McFall-Ngai, M., Hadfield, M. G., Bosch, T. C., Carey, H. V., Domazet-Lošo, T., Douglas, A. E., . . . Gilbert, S. F. (2013). Animals in a bacterial world, a new imperative for the life sciences. Proceedings of the National Academy of Sciences, 110(9), 3229-3236.

Paracer, S., & Ahmadjian, V. (2000). Symbiosis: an introduction to biological associations: Oxford University Press, USA.

Peixoto, R. S., Voolstra, C. R., Sweet, M., Duarte, C. M., Carvalho, S., Villela, H., . . . Walter, J. (2022). Harnessing the microbiome to prevent global biodiversity loss. Nature Microbiology, 7(11), 1726-1735.

Ramanan, R., Kim, B.-H., Cho, D.-H., Oh, H.-M., & Kim, H.-S. (2016). Algae–bacteria interactions: evolution, ecology and emerging applications. Biotechnology advances, 34(1), 14-29.

Richardson, D. M., Allsopp, N., D'ANTONIO, C. M., Milton, S. J., & Rejmánek, M. (2000). Plant invasions–the role of mutualisms. Biological Reviews, 75(1), 65-93.

Sassetti, C. M., Boyd, D. H., & Rubin, E. J. (2003). Genes required for mycobacterial growth defined by high density mutagenesis. Molecular microbiology, 48(1), 77-84.

Thompson, J. N. (1994). The coevolutionary process: University of Chicago press.

Van de Wouw, M., Schellekens, H., Dinan, T. G., & Cryan, J. F. (2017). Microbiota-gut-brain axis: modulator of host metabolism and appetite. The Journal of nutrition, 147(5), 727-745.

Van Soest, P. J. (1994). Nutritional ecology of the ruminant: Cornell university press.

Wilson, M. (2005). Microbial inhabitants of humans: their ecology and role in health and disease: Cambridge University Press.

Woo, P. C., Lau, S. K., Teng, J. L., Tse, H., & Yuen, K.-Y. (2008). Then and now: use of 16S rDNA gene sequencing for bacterial identification and discovery of novel bacteria in clinical microbiology laboratories. Clinical Microbiology and Infection, 14(10), 908-934.

Zmora, N., Suez, J., & Elinav, E. (2019). You are what you eat: diet, health and the gut microbiota. Nature reviews Gastroenterology & hepatology, 16(1), 35-56.

Sender, R., Fuchs, S., & Milo, R. (2016). Revised estimates for the number of human and bacteria cells in the body. PLOS Biology, 14(8). https://doi.org/10.1371/journal.pbio.1002533

Grice, E.A. (2023). The skin microbiome in health and disease. Annual Review of Immunology, 41, 479-514. [invalid URL removed]

Hobson, P. N., & Stewart, C. S. (Eds.). (1997). The rumen microbial ecosystem (2nd ed.). Springer Netherlands. https://doi.org/10.1007/978-94-009-1453-7

Van Hamme, J.D., Singh, A., & Ward, O.P. (2003). Recent advances in petroleum microbiology. Microbiology and Molecular Biology Reviews, 67(4), 503-549. https://doi.org/10.1128/MMBR.67.4.503-549.2003

Steinkraus, K. H. (Ed.). (2002). Handbook of Indigenous Fermented Foods (2nd ed.). CRC Press. https://doi.org/10.1201/9780203913550

**About the Author**

Mr. Asad Ullah KHARIK, currently he is doing M.Phil in Biotechnology from Institute of Biological and Chemical Sciences, The Islamia University of Bahawalpur Pakistan. His research focus is on green synthesis & application of particles. He has written a few book chapters.

E-mail: asadullahkharik@gmail.com, ORCID: 0009-0001-8092-4267

**To Cite This Chapter**

Asadullah, K (2024). MICROORGANISM AND ANIMAL: EXPLORING SYMBIOTIC RELATIONSHIP. In Animal Production and Health (pp.288-298). ISRES Publishing.