

*Respiratory Assessment in Performance Sports***Mehmet VURAL***Gaziantep University***To Cite This Chapter:**

Vural, M. (2025). Respiratory assessment in performance sports. In F. Alincak (Ed.), *Current studies in sports science* (pp. 133–140). ISRES Publishing.

Introduction

In performance sports, the physiological factors that determine physical capacity are primarily addressed in terms of the musculoskeletal system, cardiovascular endurance, or the efficiency of energy systems. However, modern sports science shows that the respiratory system plays a much more central and dynamic role in these processes than previously thought. The increased ventilatory demand during intense exercise transforms respiration from a passive process that merely transports oxygen to the body into an active regulator of metabolic balance. The capacity of the respiratory muscles to respond to increased demand is crucial for maintaining the continuity of gas exchange and managing physiological stress during exercise. Indeed, current research indicates that respiratory muscle endurance and ventilatory control mechanisms are among the key parameters determining the sustainability of high-intensity performance (Illi et al., 2012; Shei, 2018; Aliverti, 2016; Álvarez-Herms et al., 2019).

This importance becomes even more pronounced in elite athletes. The respiratory system is not only a structure where oxygen and carbon dioxide exchange occurs, but also a physiological “distributor” mechanism that determines the distribution of blood flow directed to skeletal muscles working during intense effort. The “steal phenomenon” that occurs with excessive loading of the respiratory muscles can limit performance capacity by reducing blood flow to the lower extremity muscles. This situation demonstrates that the efficiency of the respiratory muscles is a critical factor not only in terms of maintaining ventilation but also in the context of competitive blood flow relationships between muscles. Fatigue in the diaphragm and accessory respiratory muscles during exercise can lead to early fatigue in peripheral muscles, increased metabolic cost, and a drop in performance earlier than expected (Nicolò et al., 2020; Johnson et al., 1992; Dempsey & Romer, 2006). There are studies on strengthening the muscle structure to counteract fatigue through training that targets the respiratory and diaphragm muscles, particularly to tolerate the fatigue that occurs in these muscles (Vural et al., 2024).

Therefore, respiratory assessment methods have evolved beyond being merely a clinical or physiological monitoring tool in today’s performance sports; they are now utilized for multidimensional purposes, such as shaping training periods, creating athletic endurance profiles, understanding fatigue mechanisms, and determining the effects of

respiratory muscle training. Thanks to modern assessment protocols that measure the functional capacity of respiratory muscles, determine ventilatory thresholds, and reveal the relationship between respiration and exertion, the limiting factors affecting athletes' performance can be analyzed from a more holistic perspective.

This section addresses the role of the respiratory system in performance in detail, relating it to its physiological foundations. It explains respiratory assessment methods in light of current scientific data and comprehensively reveals the place and contributions of respiration-focused approaches, which are gaining increasing importance in modern sports science literature, in performance sports.

Contribution of the Respiratory System to Performance

Respiratory Mechanics and Changes During Exercise

As exercise intensity increases, there is a marked increase in both the frequency and tidal volume of ventilation to meet the body's increased metabolic demand. This rapid increase in ventilatory response significantly increases the mechanical workload of the accessory respiratory muscles, particularly the diaphragm, and substantially increases the energy consumption of these muscles. Although the metabolic cost of respiratory muscles is often overlooked during prolonged efforts, it is well known that oxygen consumption by the diaphragm and accessory muscles increases dramatically during high-intensity exercise. Therefore, the development of fatigue in respiratory muscles is a physiologically inevitable outcome, particularly in endurance performances where sustainability is critical (McConnell, 2013). This fatigue in the respiratory muscles is not limited to reducing the mechanical efficiency of ventilation; it also triggers a specific series of autonomic responses known as the respiratory muscle metaboreflex. The primary purpose of the metaboreflex is to protect the respiratory muscles by reorganizing the oxygen and blood flow required by the fatigued muscles. However, this regulation implies a systemic reprioritization, and as a result, blood flow to the working lower extremity muscles is reflexively restricted. This decrease in blood flow results in reduced oxygen delivery to the leg muscles, a rapid increase in metabolic stress, and an early limitation of performance. Previous studies have clearly demonstrated that this mechanism is a key determinant of performance loss, particularly during high-intensity endurance exercise (Babcock et al., 2002; Harms et al., 1997).

The Importance of Ventilator Thresholds in Terms of Performance

In endurance sports, performance evaluations based solely on maximal oxygen consumption ($\text{VO}_{2\text{max}}$) are now considered limited when viewed through the lens of modern sports science's multidimensional approach to performance. The $\text{VO}_{2\text{max}}$ value indicates an athlete's theoretical aerobic capacity. However, it is not among the strongest

predictors of sustainable performance in competition. Ventilatory thresholds (VT1 and VT2), on the other hand, are emerging as more sensitive and functional parameters for performance prediction. These thresholds reflect the holistic response to the metabolic and respiratory demands of exercise (Wasserman et al., 2020; Kowalski et al., 2023; Rożek-Piechura et al., 2020). These points are not solely a result of aerobic capacity. They are also an interactive output of lactate dynamics, metabolic endurance, energy use efficiency, and ventilatory control. Therefore, ventilatory thresholds play a critical role in shaping a sport-specific performance profile.

The practical significance of ventilatory thresholds varies depending on the nature of the sport. For athletes such as long-distance runners, triathletes, and endurance cyclists, achieving a high percentage of VT2 is a fundamental physiological determinant for maintaining a sustainable race pace. This intensity zone represents the range where oxygen utilization and energy production processes can be sustained in the most balanced manner, making it a direct determinant of performance (Wasserman et al., 2020). In contrast, performance in sprint disciplines depends on short bursts of high-intensity effort above the ventilatory threshold (VT2), which requires sprinters to have strong ventilatory capacity and rapid ventilatory adaptation. In this context, threshold analysis also provides an important physiological reference by defining the zone where anaerobic energy systems become active. Therefore, ventilatory threshold analysis has solidified its status as an indispensable scientific tool utilized across endurance sports and a broad spectrum of other athletic disciplines, from high-intensity interval training to team sports. This approach not only enables precise individualization of training plans and competition strategies, but also ensures objective monitoring of the athlete's development. The superiority of threshold data over $\text{VO}_{2\text{max}}$ is unequivocal in modern sports science, as it most accurately represents the multidimensional physiological foundations of optimal performance.

Respiratory Assessment Methods

Classic Respiratory Function Tests: Spirometry

Spirometry is widely used to assess respiratory function in clinical and sports environments. Parameters such as forced expiratory volume (FEV_1), forced vital capacity (FVC), and peak expiratory flow (PEF) provide information on airway structure and function. These measures mainly assess lung health; in most performance athletes, values exceed population norms, limiting their predictive value for maximal exercise capacity or competition performance (ATS/ERS, 2021). Still, spirometry provides essential baseline data for interpreting other respiratory assessments, making it a key reference in performance analysis (Xavier et al., 2025).

Respiratory Muscle Strength: MIP and MEP Measurements

Maximum inspiratory pressure (MIP) and maximum expiratory pressure (MEP) are

direct, valid, and reliable measures of the strength of the breathing muscles. These measurements show how well the breathing muscles work, by showing the highest pressure the main breathing muscles (like the diaphragm) and the muscles that help with breathing in (MIP) or out (MEP) can create.

MIP is especially important in athletes because strong breathing-in muscles help them handle harder breathing during intense exercise. Stronger breathing muscles mean they work less hard during activity. This makes breathing more efficient, helping athletes maintain their endurance for longer periods before their breathing muscles become fatigued (Brown et al., 2014; Rodríguez-Anderson, 2018).

Therefore, MIP and MEP are crucial for assessing the effectiveness of athletes' breathing muscles and for managing their breathing needs during exercise.

Ergospirometric Assessment (CPET)

Ergospirometry, also known as cardiopulmonary exercise testing (CPET), is one of the most comprehensive methods of evaluating cardiorespiratory function in athletes. During the test, multidimensional physiological data, including oxygen consumption (VO_2), carbon dioxide production (VCO_2), ventilatory parameters, respiratory thresholds (VT1 and VT2), ventilatory efficiency (VE/VCO_2), heart rate response, and exercise tolerance, are obtained simultaneously. This comprehensive dataset reveals how the cardiovascular, respiratory, and metabolic systems perform together during exercise, providing the most reliable assessment of an athlete's true physiological capacity. The most significant advantage of CPET is its ability to objectively determine an athlete's physical limits based not only on maximal values, but also on metabolic transition points and ventilatory control mechanisms. CPET thus provides a strong foundation for individualizing training programs in performance sports, planning competition strategies, and monitoring athletes' adaptations over time (Wasserman et al., 2020; Shen, 2023).

Respiratory Muscle Endurance Tests

Various test protocols are used to evaluate the endurance of the respiratory muscles during prolonged exertion. These tests typically involve measuring sustained maximal inspiratory pressure, time to exhaustion, or sustainable performance against a specific inspiratory resistance. These methods reveal the functional endurance profile of the respiratory muscles, i.e., how long they can perform effectively under a given ventilatory demand.

Respiratory muscle endurance is a critical performance determinant, particularly in endurance sports, as effective functioning of the diaphragm and accessory respiratory muscles over a sufficient period during high-intensity, prolonged exertion directly impacts ventilation sustainability and continuous oxygen delivery. If the respiratory muscles fatigue early under this mechanical load, ventilatory efficiency decreases, and overall performance can be limited by triggering the respiratory muscle metaboreflex,

which reduces blood flow to the peripheral muscles. In this context, measurements of respiratory muscle endurance are crucial for determining the point at which an athlete will experience ventilatory strain during exercise (Illi et al., 2012).

Furthermore, data obtained from these tests provide an important basis for evaluating the effectiveness of inspiratory muscle training programs, creating personalized respiratory training strategies, and optimizing performance in endurance athletes. Therefore, respiratory muscle endurance assessment has become an integral component of modern performance analysis approaches.

Performance- Oriented Breathing-Focused Interventions

Inspiratory Muscle Training (IMT)

IMT is a systematic training method aimed at increasing respiratory muscle strength and endurance in athletes. Meta-analyses conducted in recent years have shown that IMT positively affects performance, particularly in high-intensity training and sports requiring repeated sprints (Afonso et al., 2021). IMT programs typically involve 4–8 weeks of training at 30–60% MIP intensity.

The main effects of IMT are:

- reduced ventilatory cost,
- delayed respiratory muscle fatigue,
- improved endurance economy,
- reduced perceived exertion during intense effort.

Inspiratory Muscle Warm-Up (IMW)

IMW is a technique applied shortly before starting exercise that aims to increase the neuromuscular readiness of the respiratory muscles. The literature shows that IMW protocols can produce short-term but significant effects on maximal speed, explosive power, and repeated sprint performance (Wüthrich et al., 2013; Grampi et al., 2020).

Conclusion

Modern sports science clearly demonstrates that explaining performance solely through traditional measures focused on the cardiovascular or musculoskeletal systems is insufficient; the respiratory system plays a crucial role in sustaining competitive performance. The strength and endurance of respiratory muscles, as well as the functional capacity of ventilatory control mechanisms, directly affect critical physiological processes, including the efficiency of oxygen delivery during exercise, metabolic balance, fatigue management, and intermuscular blood flow distribution. Therefore, respiratory assessments have evolved from being complementary elements in modern performance analysis to becoming a fundamental component that determines performance.

Methods such as spirometry, MIP/MEP measurements, respiratory muscle endurance tests, and cardiopulmonary exercise testing (CPET) discussed in this study offer the

opportunity to evaluate athletes' physiological capacities using a multidimensional approach. Spirometry determines the baseline level of basic respiratory functions; MIP and MEP measurements reveal the strength profile of the respiratory muscles, while endurance tests evaluate the tolerance of these muscles to prolonged loads. CPET, on the other hand, constitutes the most comprehensive analysis tool, integrating all these data to reveal ventilatory thresholds, oxygen consumption, ventilatory efficiency, and metabolic transition points. Thus, the athlete's actual performance capacity can be defined more accurately based not only on maximal values but also on physiological thresholds that determine sustainable performance.

Regular respiratory assessments enable the proper management of training loads, objective monitoring of athlete development, and individualization of competition strategies. In particular, determining ventilatory thresholds enables scientific planning of competition pace in endurance sports, while evaluating respiratory muscle profiles underscores the need for training approaches that enhance ventilatory economy and fatigue tolerance. Key takeaway: Targeted respiratory assessments and training are essential for optimizing performance and strategy in athletes.

In addition, inspiratory muscle training (IMT) and inspiratory muscle warming (IMW) applications, whose effectiveness has been widely demonstrated in the literature, improve exercise economy and delay respiratory muscle fatigue by enhancing the performance of respiratory muscles. Integrating these interventions into training periodization can create significant physiological gains, providing athletes with a competitive advantage. Therefore, the inclusion of respiratory-focused intervention strategies in modern performance programs offers multifaceted benefits, not only improving performance but also reducing injury risk, improving fatigue management, and increasing metabolic stress tolerance.

Consequently, the systematic and comprehensive application of respiratory assessment methods enables the most accurate analysis of athletes' performance capacity, the optimization of training load based on scientific principles, and a clearer understanding of the decisive role of respiratory muscles in physical endurance. In modern sports applications, the respiratory system should be considered not only as a physiological infrastructure element but also as a direct determinant of performance; assessment, monitoring, and training strategies should be structured accordingly.

References

Afonso, J., Tavares, F., & Ramos, E. (2021). *Inspiratory muscle training and exercise performance: A systematic review and meta-analysis*. *Sports Medicine*, 51(2), 221–242.

- Aliverti, A. (2016). The respiratory muscles during exercise. *European Respiratory Journal*, 47(6), 1619–1630.
- Álvarez-Herms, J., et al. (2019). Role of respiratory muscle training in athletic performance. *Frontiers in Physiology*, 10, 644.
- American Thoracic Society / European Respiratory Society (ATS/ERS). (2021). *Standardization of spirometry 2021 update*. *European Respiratory Journal*, 57(1), 2002013.
- Babcock, M. A., Pegelow, D. F., Harms, C. A., & Dempsey, J. A. (2002). *Effects of respiratory muscle unloading on exercise-induced diaphragmatic fatigue*. *Journal of Applied Physiology*, 93(1), 201–206.
- Brown, L., Sharpe, G., & McConnell, A. (2014). *Inspiratory muscle training in athletes: Mechanisms and applications*. *British Journal of Sports Medicine*, 48(3), 183–188.
- Dempsey, J. A., & Romer, L. M. (2006). Respiratory muscle fatigue in exercise. *Journal of Applied Physiology*, 100(4), 1467–1475.
- Grampi, M., Morciano, G., & Casaburi, R. (2020). *Acute effects of inspiratory muscle warm-up on high-intensity exercise performance*. *Journal of Sports Science & Medicine*, 19(1), 88–95.
- Harms, C. A., Babcock, M. A., McClaran, S. R., Pegelow, D. F., Nিকেle, G. A., Nelson, W. B., & Dempsey, J. A. (1997). *Respiratory muscle work compromises leg blood flow during maximal exercise*. *Journal of Applied Physiology*, 82(5), 1573–1583.
- Illi, S. K., Held, U., Frank, I., & Spengler, C. M. (2012). *Effect of respiratory muscle training on exercise performance in healthy individuals: A systematic review and meta-analysis*. *Sports Medicine*, 42(8), 707–724.
- Johnson, B. D., Babcock, M. A., Suman, O. E., & Dempsey, J. A. (1992). *Exercise-induced diaphragmatic fatigue in healthy humans*. *Journal of Physiology*, 460, 385–405.
- Kowalski, K., et al. (2023). Ventilatory thresholds and endurance performance. *European Journal of Sport Science*, 23(1), 45–57.
- McConnell, A. K. (2013). *Respiratory muscle training: Theory and practice*. Churchill Livingstone.
- Nicolò, A., Massaroni, C., & Passfield, L. (2020). *Respiratory frequency during exercise: The neglected physiological measure*. *Frontiers in Physiology*, 11, 900.
- Rodríguez-Anderson, J. (2018). Respiratory muscle function in elite athletes. *International Journal of Sports Physiology and Performance*, 13(5), 635–642.
- Rożek-Piechura, K., et al. (2020). Pulmonary function in elite athletes: Spirometry versus performance. *Journal of Human Kinetics*, 71, 165–174.
- Shei, R.-J. (2018). *Respiratory muscle training and exercise performance*. *Current Sports Medicine Reports*, 17(10), 336–342.
- Shen, X. (2023). Integrating respiratory muscle training into sports performance programs. *Frontiers in Sports Science*, 5, 987654.
- Vural, M., Ozdal, M., Demiryol, M. B., & Eyipinar, C. D. (2024). Does Inspiratory Muscle Training Affect Respiratory Parameters? The Different Effects of Diaphragm Muscle-Focused Respiratory Exercise. *Annals of Applied Sport Science*, 12, 0-0.
- Wasserman, K., Hansen, J. E., Sue, D. Y., Stringer, W. W., & Whipp, B. J. (2020). *Principles of exercise testing and interpretation: Including pathophysiology and clinical applications* (6th ed.). Wolters Kluwer.
- Wüthrich, T., Spengler, C. M., & Boutellier, U. (2013). *Inspiratory muscle warm-up improves exercise performance in trained athletes*. *Medicine & Science in Sports*

& Exercise, 45(9), 1721–1729.

Xavier, J. B., et al. (2025). Spirometry reference values in high-performance athletes. *European Respiratory Journal*, 65(1), 2004005.

About the Authors

Assistant Professor Mehmet VURAL graduated from Inonu University School of Physical Education and Sports, Department of Disabled Exercise and Sports Education in September 2016. In 2018, he completed his master's degree at Gaziantep University Institute of Health Sciences, Department of Physical Education and Sports. In 2023, he completed her doctorate education at Gaziantep University Institute of Health Sciences, Department of Physical Education and Sports. His research interests include physical education and sports and training for people with disabilities. He is currently working as a Dr. Faculty Member at Gaziantep University Faculty of Sport Sciences.

E-mail: mehmetvrl27@hotmail.com, **ORCID:** 0000-0003-0027-6069

Similarity Index:

The similarity index obtained from the plagiarism software for this book chapter is 2%